

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	1	0,76	0,54	0,49	0.01-2.73	0	0	0	-		1	3,86	2,54	0,58	0.01-3.22
Lingua	3	2,29	1,53	1,13	0.23-3.31	3	2,29	1,63	2,95	0.61-8.63	2	7,73	6,01	1,23	0.15-4.43
Bocca	3	2,29	2,06	1,08	0.22-3.17	1	0,76	0,6	1,03	0.01-5.74	2	7,73	7,38	1,4	0.17-5.05
Ghiandole salivari	1	0,76	0,49	0,6	0.01-3.33	0	0	0	-		1	3,86	2,37	1,05	0.01-5.86
Orofaringe	1	0,76	0,6	0,75	0.01-4.17	1	0,76	0,6	1,7	0.02-9.49	0	0	0	-	
Rinofaringe	0	-	-	-		1	0,76	0,76	1,52	0.02-8.44	0	0	0	-	
Ipfaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Faringe NAS	0	-	-	-		0	0	0	-		0	0	0	-	
Esofago	5	3,82	2,65	1,35	0.44-3.16	6	4,59	3,35	1,7	0.62-3.7	1	3,86	2,17	1,42	0.02-7.92
Stomaco	29	22,17	16,2	0,82	0.55-1.18	26	19,87	13,98	1,08	0.71-1.59	7	27,04	19,56	0,52	0.21-1.08
Intestino tenue	7	5,35	3,82	4,12	1.65-8.48	3	2,29	1,7	1,14	0.23-3.33	3	11,59	7,35	2,93	0.6-8.55
Colon	70	53,51	35,91	1,03	0.8-1.3	41	31,34	20,44	1,33	0.95-1.8	38	145,12	93,73	0,91	0.65-1.26
Retto	26	19,87	14,06	0,8	0.52-1.18	7	5,35	3,43	1,04	0.41-2.13	15	57,95	42,17	0,74	0.42-1.23
Fegato	56	42,81	32,35	0,83	0.63-1.08	53	40,51	27,29	0,96	0.72-1.25	20	75,89	60,92	0,85	0.53-1.34
Vie biliari	8	6,12	4,87	0,85	0.37-1.68	6	4,59	3,05	0,97	0.35-2.11	3	11,59	8,84	1,98	0.41-5.78
Pancreas	22	16,82	11,62	1,2	0.75-1.81	21	16,05	11,38	1,26	0.78-1.93	5	19,32	13,76	1,74	0.56-4.06
Cavità nasale	0	-	-	-		1	0,76	0,81	3,21	0.04-17.88	0	0	0	-	
Laringe	13	9,94	7,44	0,68	0.36-1.16	6	4,59	2,88	0,65	0.24-1.41	8	30,91	24,37	0,59	0.25-1.16
Polmone	157	120,01	80,59	1	0.85-1.17	141	107,78	68,95	0,99	0.83-1.16	45	173,05	121,44	1,31	0.96-1.77
Altri organi toracici	1	0,76	0,69	0,26	0-1.46	5	3,82	2,2	0,96	0.31-2.23	1	3,86	3,61	0,77	0.01-4.31
Osso	3	2,29	2,49	1,53	0.32-4.48	2	1,53	1,03	1,03	0.12-3.73	3	11,59	12,87	2,27	0.47-6.64
Pelle, melanomi	18	13,76	12,25	1,12	0.66-1.77	8	6,12	4,06	2,31	0.99-4.54	16	61,82	56,99	1,25	0.71-2.03
(a) Pelle, non melanomi	193	147,53	102,09	1,33	1.15-1.54	1	0,76	0,32	0,54	0.01-3.02	177	683,85	459,13	1,41	1.21-1.64
Mesotelioma	7	5,35	3,32	1,05	0.42-2.16	1	0,76	0,49	1	0.01-5.54	0	0	0	-	
Sarcoma di Kaposi	3	2,29	1,54	0,76	0.16-2.21	0	0	0	-		2	7,73	5,39	0,67	0.08-2.41
Tessuti molli	4	3,06	2,18	0,95	0.26-2.43	2	1,53	1,08	1,06	0.13-3.83	2	7,73	4,53	0,79	0.1-2.86
Mammella	0	-	-	-		0	0	0	-		0	0	0	-	
Pene	3	2,29	1,47	0,98	0.2-2.85	1	0,76	0,49	1,54	0.02-8.56	2	7,73	4,7	0,89	0.11-3.2
Prostata	145	110,84	75,97	1,08	0.91-1.27	39	29,81	18,21	0,9	0.64-1.23	127	491,45	333,26	1,2	1-1.43
Testicolo	10	7,64	7,7	1,2	0.57-2.21	1	0,76	0,93	2,79	0.04-15.55	10	38,64	39,95	1,28	0.61-2.36
Altri genitali maschili	2	1,53	1,25	7,95	0.96-28.71	0	0	0	-		2	7,73	5,97	10,96	1.33-39.58
Rene	22	16,82	12,59	1,26	0.79-1.91	6	4,59	3,32	1,26	0.46-2.75	15	57,95	46,37	1,23	0.69-2.03
Vescica (maligni)	52	39,75	26,28	0,79	0.59-1.04	29	22,17	12,85	0,84	0.56-1.21	35	135,22	90,51	0,83	0.58-1.16
(b) Vescica (non maligni)	59	45,1	31,65	1,09	0.83-1.41	1	0,76	0,49	3,25	0.04-18.08	52	199,04	139,5	1,15	0.87-1.53
Altre vie urinarie	3	2,29	1,52	0,52	0.11-1.51	7	5,35	2,81	1,84	0.74-3.8	2	7,73	6,44	0,54	0.07-1.95
Occhio	0	-	-	-		0	0	0	-		0	0	0	-	
Encefalo e altro SNC (maligni)	9	6,88	6,45	0,66	0.3-1.26	9	6,88	5,45	0,76	0.34-1.43	3	11,59	13,6	0,75	0.15-2.18
(c) Encefalo e altro SNC (non maligni)	12	9,17	8,75	1,17	0.6-2.04	2	1,53	1,13	1,57	0.19-5.66	11	42,5	42,6	1,26	0.63-2.25
Tiroide	7	5,35	5,26	0,66	0.26-1.35	0	0	0	-		7	27,04	25,81	0,81	0.33-1.68
Altre ghiandole endocrine	1	0,76	0,54	0,35	0-1.94	0	0	0	-		1	3,86	2,54	0,48	0.01-2.68
Linfoma di Hodgkin	3	2,29	2,19	0,61	0.13-1.79	3	2,29	1,38	2,1	0.43-6.14	3	10,21	10,45	0,65	0.15-2.17
Linfoma non Hodgkin	35	26,75	20,96	1,14	0.79-1.59	20	15,29	10,45	1,74	1.06-2.69	21	81,13	65,39	1,1	0.68-1.68
Mieloma	15	11,47	8,76	1,31	0.73-2.17	7	5,35	3,01	0,98	0.39-2.02	9	34,77	29,1	1,48	0.68-2.82
Leucemia linfatica acuta	5	3,82	4,47	2,15	0.69-5.01	2	1,53	1,64	1,42	0.17-5.12	3	11,59	13,99	2,14	0.44-6.25
Leucemia linfatica cronica	1	0,76	0,76	0,25	0-1.37	3	2,29	1,12	1,26	0.26-3.67	1	3,86	3,84	0,39	0.01-2.16
Leucemia mieloide acuta	8	6,12	4,97	1,52	0.65-2.99	3	2,29	1,92	1,27	0.26-3.72	3	11,59	7,8	2,19	0.45-6.39
Leucemia mieloide cronica	3	2,29	1,92	1,52	0.31-4.43	0	0	0	-		2	7,73	7,24	1,48	0.18-5.35
Altre MMPC e SMD	15	11,47	7,76	1,13	0.63-1.86	5	3,82	2,11	3,12	1.01-7.28	10	38,64	24,89	1,12	0.54-2.07
Leucemie NAS	3	2,29	1,3	0,99	0.2-2.88	7	5,35	4,22	1,25	0.5-2.57	2	7,73	4,7	1,98	0.24-7.15
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	18	13,76	9,56	1,24	0.73-1.95	28	21,4	14,77	1,29	0.86-1.86	3	11,59	7,75	0,99	0.2-2.89
Totale	1062	811,78	581,37	1,03	0.97-1.09	509	389,07	256,32	1,06	0.97-1.16	674	2605,4	1881,55	1,12	1.04-1.21
Totale escluso (a)	869	664,25	479,28	0,98	0.92-1.05	508	388,31	256	1,06	0.97-1.16	497	1921,56	1422,42	1,04	0.95-1.14
Totale escluso (a)(b)(c)	798	609,98	438,88	0,97	0.91-1.04	505	386,01	254,38	1,06	0.97-1.15	435	1680,02	1240,33	1,03	0.93-1.13

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	1	0,67	0,22	0,77	0.01-4.3	0	0	0	-		1	3,4	0,97	0,91	0.01-5.05
Lingua	1	0,67	0,22	0,63	0.01-3.5	0	0	0	-		0	0	0	-	
Bocca	2	1,34	0,77	0,59	0.07-2.14	2	1,34	0,44	1,32	0.16-4.77	2	6,8	4,08	1,13	0.14-4.09
Ghiandole salivari	0	-	-	-		0	0	0	-		0	0	0	-	
Orofaringe	1	0,67	0,65	4,98	0.07-27.69	1	0,67	0,37	4,7	0.06-26.13	1	3,4	3,31	7,54	0.1-41.95
Rinofaringe	2	1,34	1,35	2,63	0.32-9.48	0	0	0	-		2	6,8	6,8	4,25	0.51-15.35
Ipopfaringe	1	0,67	0,64	13,72	0.18-76.36	0	0	0	-		0	0	0	-	
Faringe NAS	1	0,67	0,22	8,42	0.11-46.83	0	0	0	-		1	3,4	0,97	9,07	0.12-50.46
Esofago	2	1,34	0,73	0,84	0.1-3.02	2	1,34	0,73	0,95	0.11-3.42	0	0	0	-	
Stomaco	35	23,51	12,18	1,35	0.94-1.88	26	17,47	9,1	1,41	0.92-2.06	8	27,2	15,06	0,87	0.37-1.71
Intestino tenue	3	2,02	1,58	1,05	0.22-3.07	0	0	0	-		3	10,2	7,66	2,79	0.58-8.17
Colon	73	49,04	28,52	1,29	1.01-1.62	40	26,87	13,26	1,44	1.03-1.96	47	159,82	100,66	1,34	0.99-1.79
Retto	26	17,47	9,78	0,88	0.57-1.28	7	4,7	2,46	1,02	0.41-2.1	18	61,21	35,22	0,91	0.54-1.43
Fegato	26	17,47	9,24	0,6	0.39-0.88	31	20,82	9,13	0,88	0.6-1.25	8	27,2	17,77	0,58	0.25-1.15
Vie biliari	11	7,39	3,71	0,75	0.38-1.35	9	6,05	2,89	0,85	0.39-1.61	2	6,8	4,15	0,9	0.11-3.24
Pancreas	27	18,14	9,92	1,28	0.84-1.86	22	14,78	7,63	1,17	0.73-1.78	4	13,6	9,23	1,54	0.42-3.95
Cavità nasale	0	-	-	-		0	0	0	-		0	0	0	-	
Laringe	6	4,03	2,79	2,37	0.86-5.16	2	1,34	0,99	2,29	0.28-8.27	4	13,6	9,97	2,03	0.55-5.2
Polmone	57	38,29	25,98	1,47	1.11-1.9	54	36,27	23,29	1,65	1.24-2.15	13	43,26	31,92	1,13	0.61-1.98
Altri organi toracici	4	2,69	1,5	2,08	0.56-5.32	2	1,34	0,45	1,54	0.19-5.55	3	10,2	6,65	3,18	0.65-9.29
Osso	1	0,67	0,17	0,7	0.01-3.87	1	0,67	0,28	0,56	0.01-3.1	0	0	0	-	
Pelle, melanomi	30	20,15	16,32	1,77	1.19-2.53	2	1,34	1,08	0,53	0.06-1.9	27	93,23	76,2	1,9	1.23-2.72
(a) Pelle, non melanomi	101	67,85	39,62	0,89	0.72-1.08	0	0	0	-		96	324,96	189,94	0,97	0.79-1.19
Mesotelioma	2	1,34	0,63	1,26	0.15-4.55	0	0	0	-		1	3,4	2,18	1,51	0.02-8.42
Sarcoma di Kaposi	1	0,67	0,22	0,45	0.01-2.52	0	0	0	-		1	3,4	0,97	0,57	0.01-3.18
Tessuti molli	0	-	-	-		0	0	0	-		0	0	0	-	
Mammella	185	124,27	89,28	0,97	0.84-1.12	65	43,66	24,92	1,14	0.88-1.46	166	563,82	410,95	1,02	0.87-1.19
Utero, collo	9	6,05	5,06	0,87	0.4-1.66	2	1,34	0,82	1,88	0.23-6.8	8	25,73	24,85	1	0.46-2.09
Utero, corpo	33	22,17	14,52	0,83	0.57-1.16	0	0	0	-		25	85,01	57,16	0,82	0.53-1.21
Utero NAS	3	2,02	1,02	1,44	0.3-4.22	11	7,39	3,73	0,91	0.45-1.63	1	3,4	3,21	1,85	0.02-10.29
Ovaio	25	16,79	12,73	1,11	0.72-1.64	5	3,36	1,77	0,46	0.15-1.07	14	47,6	41,11	1,2	0.66-2.02
Altri genitali femminili	9	6,05	2,97	1,14	0.52-2.16	14	9,4	4,9	3,79	2.07-6.36	5	17	9,34	0,99	0.32-2.31
Rene	9	6,05	3,83	0,73	0.33-1.39	2	1,34	1,4	0,69	0.08-2.51	7	23,8	14,48	0,8	0.32-1.65
Vescica (maligni)	14	9,4	4,78	0,97	0.53-1.62	9	6,05	2,37	1,13	0.52-2.15	8	27,2	15,15	0,96	0.41-1.89
(b) Vescica (non maligni)	18	12,09	8,15	1,42	0.84-2.25	1	0,67	0,46	4,24	0.06-23.6	16	52,93	37,93	1,42	0.83-2.37
Altre vie urinarie	3	2,02	0,77	2,3	0.47-6.73	2	1,34	0,39	0,91	0.11-3.29	2	6,8	2,41	2,51	0.3-9.08
Occhio	2	1,34	0,8	1,47	0.18-5.31	0	0	0	-		2	6,8	4,05	1,91	0.23-6.89
Encefalo e altro SNC (maligni)	14	9,4	5,93	1,17	0.64-1.97	9	6,05	3,13	0,89	0.4-1.68	5	17	12,37	1,42	0.46-3.32
(c) Encefalo e altro SNC (non maligni)	28	18,81	15,62	1,29	0.86-1.87	7	4,7	2,71	3,12	1.25-6.42	25	83,59	70,78	1,33	0.87-2
Tiroide	27	18,14	16,68	0,89	0.58-1.29	1	0,67	0,49	0,57	0.01-3.16	27	90,39	82,62	0,94	0.63-1.38
Altre ghiandole endocrine	0	-	-	-		0	0	0	-		0	0	0	-	
Linfoma di Hodgkin	7	4,7	5,63	1,61	0.64-3.32	2	1,34	1,24	1,83	0.22-6.59	6	19,46	25,33	1,49	0.57-3.41
Linfoma non Hodgkin	31	20,82	14,45	1,16	0.79-1.65	14	9,4	5,06	1,44	0.79-2.42	19	64,61	53,34	1,08	0.65-1.69
Mieloma	8	5,37	3,43	0,79	0.34-1.56	6	4,03	1,83	0,94	0.34-2.04	4	13,6	10,44	0,81	0.22-2.09
Leucemia linfatica acuta	2	1,34	2,26	1,34	0.16-4.84	0	0	0	-		2	6,8	11,79	2,15	0.26-7.77
Leucemia linfatica cronica	3	2,02	1,19	1,37	0.28-4	3	2,02	0,95	1,34	0.28-3.9	2	6,8	4,02	1,35	0.16-4.88
Leucemia mieloide acuta	6	4,03	2,26	1,09	0.4-2.37	2	1,34	0,44	0,64	0.08-2.31	2	6,8	6,01	1,06	0.13-3.84
Leucemia mieloide cronica	2	1,34	1,51	1,17	0.14-4.22	0	0	0	-		2	6,8	7,29	1,6	0.19-5.78
Altre MMPC e SMD	14	9,4	5,29	1,12	0.61-1.87	4	2,69	1,21	1,69	0.46-4.34	9	30,6	19,55	1,11	0.51-2.11
Leucemie NAS	5	3,36	1,15	1,8	0.58-4.2	8	5,37	1,92	1,37	0.59-2.71	0	0	0	-	
Miscellanea	1	0,67	0,22	7,04	0.09-39.17	0	0	0	-		0	0	0	-	
Mal definite e metastasi	16	10,75	4,7	0,71	0.4-1.15	18	12,09	5,58	0,75	0.45-1.19	3	9,57	3,6	0,66	0.15-2.06
Totale	888	596,51	391,2	1,03	0.97-1.1	386	259,29	137,42	1,12	1.01-1.24	599	2038,02	1451,49	1,06	0.97-1.14
Totale escluso (a)	787	528,66	351,58	1,05	0.98-1.13	386	259,29	137,42	1,13	1.02-1.25	504	1713,06	1261,56	1,07	0.98-1.17
Totale escluso (a)(b)(c)	741	497,76	327,81	1,04	0.97-1.12	378	253,92	134,26	1,11	1-1.23	464	1576,54	1152,84	1,06	0.96-1.16

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	2	0,72	0,4	0,59	0.07-2.12	0	0	0	-		2	3,62	1,83	0,7	0.08-2.52
Lingua	4	1,43	0,78	0,93	0.25-2.39	3	1,07	0,72	1,6	0.33-4.67	2	3,62	2,64	0,79	0.1-2.84
Bocca	5	1,79	1,41	0,81	0.26-1.88	3	1,07	0,57	1,21	0.25-3.53	4	7,23	5,82	1,25	0.34-3.2
Ghiandole salivari	1	0,36	0,21	0,31	0-1.71	0	0	0	-		1	1,81	1,03	0,53	0.01-2.94
Orofaringe	2	0,72	0,62	1,25	0.15-4.52	2	0,72	0,48	2,42	0.29-8.74	1	1,81	1,78	1,52	0.02-8.46
Rinofaringe	2	0,72	0,7	0,73	0.09-2.63	1	0,36	0,35	0,93	0.01-5.18	2	3,62	3,47	1,2	0.14-4.33
Ipfaringe	1	0,36	0,33	0,88	0.01-4.91	0	0	0	-		0	0	0	-	
Faringe NAS	1	0,36	0,15	2,61	0.03-14.52	0	0	0	-		1	1,81	0,66	4,77	0.06-26.53
Esofago	7	2,5	1,52	1,14	0.45-2.34	8	2,86	1,87	1,39	0.6-2.74	1	1,81	0,86	0,82	0.01-4.55
Stomaco	64	22,88	14	1,03	0.79-1.31	52	18,59	11,12	1,2	0.9-1.58	15	27,13	17,38	0,66	0.37-1.08
Intestino tenue	10	3,58	2,48	2,2	1.05-4.04	3	1,07	0,76	0,57	0.12-1.66	6	10,85	7,27	2,86	1.04-6.22
Colon	143	51,13	31,28	1,13	0.95-1.33	81	28,96	16,05	1,36	1.08-1.69	85	152,94	95,86	1,1	0.88-1.36
Retto	52	18,59	11,71	0,83	0.62-1.09	14	5,01	2,9	1,02	0.56-1.71	33	59,68	38,58	0,82	0.56-1.15
Fegato	82	29,32	19,43	0,73	0.58-0.9	84	30,03	16,98	0,91	0.73-1.13	28	49,99	37,35	0,74	0.5-1.08
Vie biliari	19	6,79	4,38	0,79	0.48-1.24	15	5,36	2,93	0,89	0.5-1.48	5	9,04	6,43	1,34	0.43-3.13
Pancreas	49	17,52	10,71	1,23	0.91-1.62	43	15,37	9,36	1,21	0.87-1.63	9	16,28	11,12	1,64	0.75-3.11
Cavità nasale	0	-	-	-		1	0,36	0,39	2,25	0.03-12.5	0	0	0	-	
Laringe	19	6,79	4,89	0,84	0.51-1.31	8	2,86	1,76	0,76	0.33-1.49	12	21,7	16,7	0,74	0.38-1.3
Polmone	214	76,51	48,67	1,05	0.91-1.2	195	69,72	41,41	1,07	0.92-1.23	58	104,02	71,3	1,23	0.94-1.6
Altri organi toracici	5	1,79	1,19	0,85	0.28-1.99	7	2,5	1,16	1,03	0.41-2.13	4	7,23	5,39	1,77	0.48-4.52
Osso	4	1,43	1,33	1,17	0.31-2.99	3	1,07	0,57	0,79	0.16-2.32	3	5,43	6,31	1,39	0.29-4.05
Pelle, melanomi	48	17,16	14,43	1,44	1.06-1.91	10	3,58	2,22	1,37	0.65-2.52	43	78,53	67,54	1,58	1.14-2.11
(a) Pelle, non melanomi	294	105,12	66,29	1,12	1-1.26	1	0,36	0,11	0,26	0-1.46	273	492,96	306,32	1,2	1.07-1.36
Mesotelioma	9	3,22	1,75	1,04	0.48-1.98	1	0,36	0,21	0,71	0.01-3.93	1	1,81	1,17	0,4	0.01-2.23
Sarcoma di Kaposi	4	1,43	0,75	0,64	0.17-1.64	0	0	0	-		3	5,43	2,98	0,63	0.13-1.83
Tessuti molli	4	1,43	0,94	0,53	0.14-1.36	2	0,72	0,46	0,67	0.08-2.44	2	3,62	1,9	0,45	0.05-1.61
Mammella	185	66,14	48,83	1	0.86-1.15	65	23,24	14,26	1,17	0.9-1.49	166	299,89	223,47	1,04	0.89-1.21
Utero, collo	9	3,22	2,71	0,9	0.41-1.71	2	0,72	0,46	1,95	0.24-7.03	8	13,69	13,12	1,03	0.47-2.15
Utero, corpo	33	11,8	8,07	0,86	0.6-1.21	0	0	0	-		25	45,21	31,48	0,85	0.55-1.26
Utero NAS	3	1,07	0,59	1,47	0.3-4.29	11	3,93	2,18	0,94	0.47-1.69	1	1,81	1,67	1,92	0.03-10.68
Ovaio	25	8,94	6,89	1,15	0.74-1.7	5	1,79	1,02	0,48	0.15-1.11	14	25,32	21,88	1,24	0.68-2.08
Altri genitali femminili	9	3,22	1,74	1,18	0.54-2.24	14	5,01	2,83	3,92	2.14-6.58	5	9,04	5,2	1,03	0.33-2.4
Pene	3	1,07	0,63	0,93	0.19-2.73	1	0,36	0,21	1,48	0.02-8.26	2	3,62	2,04	0,85	0.1-3.09
Prostata	145	51,84	32,55	1,01	0.86-1.19	39	13,94	6,69	0,86	0.61-1.18	127	230,06	146,64	1,14	0.95-1.35
Testicolo	10	3,58	3,72	1,18	0.56-2.17	1	0,36	0,46	2,72	0.04-15.15	10	18,09	19,42	1,26	0.6-2.31
Altri genitali maschili	2	0,72	0,59	7,71	0.93-27.84	0	0	0	-		2	3,62	2,77	10,92	1.32-39.44
Rene	31	11,08	7,63	1,03	0.7-1.46	8	2,86	2,02	1,03	0.44-2.04	22	39,79	29,38	1,04	0.65-1.57
Vescica (maligni)	66	23,6	13,9	0,79	0.61-1.01	38	13,59	6,34	0,86	0.61-1.19	43	77,77	48,41	0,83	0.6-1.11
(b) Vescica (non maligni)	77	27,53	18,06	1,11	0.88-1.39	2	0,72	0,4	3,73	0.45-13.46	67	121,33	81,53	1,17	0.9-1.48
Altre vie urinarie	6	2,15	1,15	0,81	0.3-1.77	9	3,22	1,31	1,47	0.67-2.79	4	7,23	4,43	0,86	0.23-2.19
Occhio	2	0,72	0,44	0,91	0.11-3.3	0	0	0	-		2	3,62	2,22	1,12	0.14-4.05
Encefalo e altro SNC (maligni)	23	8,22	6,36	0,9	0.57-1.35	18	6,44	4,27	0,81	0.48-1.28	8	14,47	13,49	1,06	0.45-2.08
(c) Encefalo e altro SNC (non maligni)	40	14,3	12,52	1,27	0.9-1.72	9	3,22	2,05	2,54	1.16-4.83	36	64,35	58,08	1,32	0.93-1.85
Tiroide	34	12,16	11,3	0,83	0.58-1.16	1	0,36	0,27	0,31	0-1.72	34	60,74	55,95	0,92	0.64-1.3
Altre ghiandole endocrine	1	0,36	0,25	0,2	0-1.13	0	0	0	-		1	1,81	1,17	0,27	0-1.53
Linfoma di Hodgkin	10	3,58	3,93	1,08	0.52-1.98	5	1,79	1,15	1,97	0.64-4.6	8	15,13	17,94	1,06	0.44-2
Linfoma non Hodgkin	66	23,6	17,29	1,14	0.88-1.45	34	12,16	7,28	1,58	1.1-2.21	40	72,34	58,37	1,08	0.77-1.48
Mieloma	23	8,22	5,83	1,06	0.67-1.59	13	4,65	2,24	0,95	0.5-1.62	13	23,51	19,24	1,17	0.62-2
Leucemia linfatica acuta	7	2,5	3,33	1,82	0.73-3.74	2	0,72	0,79	0,88	0.11-3.17	5	9,04	12,78	2,14	0.69-4.99
Leucemia linfatica cronica	4	1,43	1,02	0,63	0.17-1.6	6	2,15	0,95	1,27	0.46-2.77	3	5,43	3,98	0,73	0.15-2.13
Leucemia mieloide acuta	14	5,01	3,44	1,29	0.7-2.16	5	1,79	1,16	0,91	0.29-2.11	5	9,04	6,48	1,54	0.5-3.59
Leucemia mieloide cronica	5	1,79	1,69	1,34	0.43-3.13	0	0	0	-		4	7,23	7,38	1,53	0.41-3.92
Altre MMPC e SMD	29	10,37	6,21	1,11	0.74-1.6	9	3,22	1,41	2,26	1.03-4.3	19	34,36	21,18	1,11	0.67-1.73
Leucemie NAS	8	2,86	1,31	1,36	0.58-2.67	15	5,36	3,14	1,3	0.72-2.14	2	3,62	2,04	1,25	0.15-4.5
Miscellanea	1	0,36	0,15	1,71	0.02-9.51	0	0	0	-		0	0	0	-	
Mal definite e metastasi	34	12,16	6,85	0,91	0.63-1.28	46	16,45	9,47	1	0.73-1.34	6	10,52	5,58	0,79	0.3-1.78
Totale	1950	697,2	469,32	1,02	0.97-1.06	895	320	184,74	1,07	1-1.14	1274	2303,62	1629,02	1,08	1.02-1.14
Totale escluso (a)	1656	592,08	403,03	1	0.95-1.05	894	319,64	184,63	1,07	1-1.14	1001	1810,66	1322,7	1,05	0.99-1.12
Totale escluso (a)(b)(c)	1539	550,25	372,45	0,99	0.94-1.04	883	315,71	182,18	1,06	0.99-1.14	898	1624,98	1183,09	1,03	0.97-1.1