

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	2	1,45	1,77	1,63	0.2-5.87	0	0	0	-		2	7,15	8,78	1,79	0.22-6.47
Lingua	2	1,45	1,75	1,07	0.13-3.85	0	0	0	-		2	7,15	8,02	1,56	0.19-5.63
Bocca	3	2,18	2,29	1,47	0.3-4.29	1	0,73	0,93	1,48	0.02-8.25	2	5,38	5,11	1,37	0.22-6.55
Ghiandole salivari	1	0,73	0,77	0,77	0.01-4.28	0	0	0	-		1	3,57	3,9	1,25	0.02-6.95
Orofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Rinofaringe	4	2,9	2,93	2,77	0.75-7.1	1	0,73	0,83	2,29	0.03-12.72	2	7,15	7,06	2,04	0.25-7.38
Ipfaringe	2	1,45	1,72	3,37	0.41-12.18	0	0	0	-		0	0	0	-	
Faringe NAS	1	0,73	0,71	6,02	0.08-33.48	2	1,45	1,51	3,08	0.37-11.11	1	3,57	3,21	25,6	0.33-142.43
Esofago	3	2,18	2,34	1,29	0.27-3.78	1	0,73	0,86	0,43	0.01-2.4	3	10,72	11,4	6,64	1.37-19.39
Stomaco	31	22,49	25,84	1,44	0.98-2.05	18	13,06	15,09	1,31	0.77-2.06	11	39,32	41,56	1,19	0.59-2.12
Intestino tenue	1	0,73	0,6	0,7	0.01-3.91	1	0,73	0,93	0,59	0.01-3.28	1	3,57	2,8	1,11	0.01-6.16
Colon	45	32,65	39,02	1,08	0.79-1.44	20	14,51	18,06	1,12	0.68-1.73	30	106,63	124,28	1,1	0.75-1.58
Retto	19	13,79	17,05	0,92	0.55-1.44	2	1,45	2,4	0,52	0.06-1.86	12	42,89	50,35	0,86	0.45-1.51
Fegato	63	45,71	54,67	1,55	1.19-1.98	55	39,91	46,56	1,77	1.34-2.31	18	64,34	71,38	1,16	0.69-1.84
Vie biliari	4	2,9	3,4	0,69	0.19-1.78	5	3,63	4,24	1,43	0.46-3.34	2	7,15	8,78	1,88	0.23-6.79
Pancreas	11	7,98	8,97	0,95	0.47-1.69	12	8,71	10,05	1,14	0.59-2	0	0	0	-	
Cavità nasale	1	0,73	0,73	1,1	0.01-6.15	0	0	0	-		0	0	0	-	
Laringe	20	14,51	17,37	1,58	0.97-2.44	11	7,98	9,31	2,1	1.05-3.76	17	60,76	72,73	1,81	1.05-2.89
Polmone	108	78,36	89,79	1,12	0.92-1.35	96	69,66	80,64	1,16	0.94-1.42	31	110,51	125,44	1,29	0.88-1.84
Altri organi toracici	0	-	-	-		1	0,73	0,86	0,32	0-1.79	0	0	0	-	
Osso	1	0,73	0,81	0,46	0.01-2.56	1	0,73	0,73	0,76	0.01-4.24	1	3,57	4,26	0,62	0.01-3.43
Pelle, melanomi	8	5,8	6,64	0,61	0.26-1.19	1	0,73	0,73	0,39	0.01-2.16	6	21,45	24,69	0,53	0.19-1.14
(a) Pelle, non melanomi	101	73,28	84,57	1,1	0.89-1.33	3	2,18	3,03	3,89	0.8-11.36	84	300,43	339,04	0,99	0.79-1.23
Mesotelioma	2	1,45	1,63	0,45	0.05-1.61	0	0	0	-		0	0	0	-	
Sarcoma di Kaposi	4	2,9	3	1,64	0.44-4.19	1	0,73	0,71	5,13	0.07-28.55	2	7,15	6,44	0,98	0.12-3.54
Tessuti molli	1	0,73	0,6	0,31	0-1.71	0	0	0	-		0	0	0	-	
Mammella	2	1,45	1,4	1,73	0.21-6.25	1	0,73	0,71	1,94	0.03-10.79	2	7,15	7,05	1,96	0.24-7.07
Pene	0	-	-	-		0	0	0	-		0	0	0	-	
Prostata	84	60,95	70,6	1,04	0.83-1.29	29	21,04	27,88	1,44	0.97-2.07	64	227	253,46	0,93	0.72-1.2
Testicolo	11	7,98	7,36	1,08	0.54-1.94	0	0	0	-		11	39,32	36,73	1,11	0.55-1.99
Altri genitali maschili	1	0,73	0,74	3,49	0.05-19.42	1	0,73	0,54	11,96	0.16-66.56	1	3,57	3,52	3,86	0.05-21.5
Rene	13	9,43	10,07	1,02	0.54-1.75	2	1,45	1,37	0,72	0.09-2.61	10	34,69	37,85	1	0.49-1.89
Vescica (maligni)	46	33,38	39,48	1,19	0.87-1.59	16	11,61	15,17	0,9	0.51-1.46	31	110,81	128,67	1,16	0.79-1.65
(b) Vescica (non maligni)	51	37	41,93	1,46	1.09-1.92	1	0,73	0,83	7,94	0.1-44.19	46	164,42	181,63	1,49	1.09-1.99
Altre vie urinarie	7	5,08	5,88	1,99	0.8-4.1	3	2,18	2,48	1,26	0.26-3.69	6	21,45	24,96	2,54	0.93-5.54
Occhio	1	0,73	0,82	1,62	0.02-9.01	0	0	0	-		1	3,57	3,75	1,69	0.02-9.4
Encefalo e altro SNC (maligni)	15	10,88	11,45	1,49	0.83-2.46	11	7,98	9,03	1,33	0.66-2.38	6	21,45	21,03	1,58	0.58-3.44
(c) Encefalo e altro SNC (non maligni)	16	11,61	11,43	1,74	0.99-2.83	0	0	0	-		16	57,19	58,13	1,88	1.07-3.05
Tiroide	11	7,98	7,63	1,08	0.54-1.94	1	0,73	0,83	1,1	0.01-6.14	10	35,74	34,18	1,12	0.54-2.06
Altre ghiandole endocrine	4	2,9	3,26	1,55	0.42-3.97	1	0,73	0,81	2,28	0.03-12.68	1	3,57	4,26	0,47	0.01-2.59
Linfoma di Hodgkin	6	4,35	4,3	1,14	0.42-2.48	0	0	0	-		6	21,45	21,38	1,28	0.47-2.78
Linfoma non Hodgkin	16	11,61	12,86	0,7	0.4-1.13	10	7,26	8,27	1,31	0.63-2.4	10	35,74	36,15	0,63	0.3-1.16
Mieloma	3	2,18	2,45	0,4	0.08-1.16	4	2,9	3,24	1	0.27-2.57	2	7,15	8,03	0,45	0.05-1.62
Leucemia linfatica acuta	2	1,45	1,51	0,67	0.08-2.41	1	0,73	0,78	0,83	0.01-4.59	0	0	0	-	
Leucemia linfatica cronica	4	2,9	3,5	1,62	0.44-4.15	0	0	0	-		4	14,3	17,3	2,31	0.62-5.93
Leucemia mieloide acuta	4	2,9	2,96	1,06	0.29-2.72	1	0,73	0,94	0,61	0.01-3.41	3	10,72	10,2	2,27	0.47-6.64
Leucemia mieloide cronica	0	-	-	-		0	0	0	-		0	0	0	-	
Altre MMPC e SMD	7	5,08	5,47	0,73	0.29-1.51	3	2,18	2,42	3,58	0.74-10.45	4	14,3	15,08	0,55	0.15-1.41
Leucemie NAS	2	1,45	1,53	1,06	0.13-3.82	4	2,9	3,19	1,17	0.32-3.01	2	7,15	7,17	2,31	0.28-8.36
Miscellanea	1	0,73	0,72	3,32	0.04-18.47	0	0	0	-		1	3,57	3,84	7,24	0.09-40.31
Mal definite e metastasi	11	7,98	8,69	1,24	0.62-2.23	18	13,06	14,73	1,41	0.83-2.22	1	3,57	3,96	0,42	0.01-2.36
Totale	756	548,53	624,99	1,13	1.05-1.21	339	245,97	290,66	1,23	1.1-1.36	465	1660,36	1837,58	1,08	0.98-1.18
Totale escluso (a)	655	475,25	540,42	1,13	1.05-1.22	336	243,79	287,63	1,22	1.09-1.36	380	1359,93	1498,53	1,1	0.99-1.21
Totale escluso (a)(b)(c)	588	426,64	487,06	1,1	1.02-1.2	335	243,07	286,8	1,22	1.09-1.36	318	1138,32	1258,77	1,04	0.92-1.16

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	0	-	-	-		0	0	0	-		0	0	0	-	
Lingua	0	-	-	-		0	0	0	-		0	0	0	-	
Bocca	0	-	-	-		0	0	0	-		0	0	0	-	
Ghiandole salivari	3	2,12	2,33	3,12	0.64-9.13	1	0,71	0,78	4,53	0.06-25.22	1	3,46	3,93	1,41	0.02-7.83
Orofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Rinofaringe	1	0,71	0,72	1,67	0.02-9.32	0	0	0	-		1	3,46	3,24	2,14	0.03-11.92
Ipopofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Faringe NAS	0	-	-	-		0	0	0	-		0	0	0	-	
Esofago	1	0,71	0,46	0,76	0.01-4.23	0	0	0	-		1	3,46	2,26	3,58	0.05-19.93
Stomaco	13	9,17	8,01	0,89	0.48-1.53	11	7,76	6,81	1,15	0.58-2.06	5	17,28	13,94	0,85	0.27-1.98
Intestino tenue	1	0,71	0,46	0,57	0.01-3.17	2	1,41	1,1	1,61	0.19-5.82	0	0	0	-	
Colon	38	26,8	26,25	1,19	0.84-1.63	11	7,76	6,65	0,76	0.38-1.37	24	82,96	82,17	1,08	0.69-1.61
Retto	16	11,28	12,21	0,94	0.54-1.53	2	1,41	1,1	0,55	0.07-1.97	14	48,4	52,75	1,14	0.62-1.92
Fegato	31	21,86	20,67	1,49	1.01-2.12	25	17,63	15,23	1,51	0.98-2.24	11	38,03	37,62	1,49	0.74-2.67
Vie biliari	8	5,64	4,86	1,1	0.48-2.18	7	4,94	4,52	1,35	0.54-2.78	2	6,91	7,02	1,58	0.19-5.71
Pancreas	12	8,46	8,74	1,03	0.53-1.8	12	8,46	8,79	1,22	0.63-2.13	0	0	0	-	
Cavità nasale	0	-	-	-		0	0	0	-		0	0	0	-	
Laringe	3	2,12	2,06	1,78	0.37-5.21	0	0	0	-		2	6,91	6,51	1,42	0.17-5.13
Polmone	30	21,16	21,53	1,26	0.85-1.8	21	14,81	14,33	1,12	0.69-1.71	12	41,48	43,97	1,53	0.79-2.67
Altri organi toracici	1	0,71	0,75	0,72	0.01-4.02	0	0	0	-		1	3,46	3,5	1,09	0.01-6.05
Osso	3	2,12	2,12	2,43	0.5-7.1	1	0,71	0,63	0,86	0.01-4.77	3	10,37	10,35	3,44	0.71-10.06
Pelle, melanomi	16	11,28	11,04	1,1	0.63-1.79	1	0,71	0,85	0,44	0.01-2.46	13	44,94	41,63	0,96	0.51-1.65
(a) Pelle, non melanomi	71	50,07	48,48	1,11	0.86-1.4	1	0,71	0,63	1,24	0.02-6.93	63	216,76	205,22	1,04	0.81-1.34
Mesotelioma	1	0,71	0,72	1,12	0.01-6.24	0	0	0	-		1	3,46	3,24	2,69	0.04-14.99
Sarcoma di Kaposi	2	1,41	1,16	1,94	0.24-7.02	0	0	0	-		2	6,91	5,49	2,27	0.27-8.2
Tessuti molli	1	0,71	0,55	0,44	0.01-2.47	1	0,71	0,7	1,68	0.02-9.34	1	3,46	2,66	0,67	0.01-3.74
Mammella	138	97,32	98,95	1,05	0.88-1.24	33	23,27	22,77	1,04	0.72-1.46	124	427,5	428,85	1,01	0.84-1.21
Utero, collo	6	4,23	4,36	0,74	0.27-1.61	0	0	0	-		5	17,28	16,42	0,75	0.24-1.75
Utero, corpo	23	16,22	17,85	0,91	0.57-1.36	2	1,41	1,31	1	0.12-3.62	17	58,77	63,57	0,8	0.47-1.28
Utero NAS	0	-	-	-		5	3,53	4	0,74	0.24-1.73	0	0	0	-	
Ovaio	16	11,28	11,31	1,05	0.6-1.71	8	5,64	5,2	1,34	0.58-2.64	7	24,2	24,77	0,74	0.29-1.52
Altri genitali femminili	5	3,53	3,36	1,18	0.38-2.76	0	0	0	-		4	13,83	13,43	1,39	0.37-3.55
Rene	5	3,53	3,52	0,63	0.2-1.46	2	1,41	1,41	1,45	0.18-5.23	3	10,37	10,24	0,47	0.1-1.39
Vescica (maligni)	7	4,94	4,8	0,92	0.37-1.9	4	2,82	2,78	1,1	0.3-2.81	3	10,37	10,26	0,59	0.12-1.73
(b) Vescica (non maligni)	11	7,76	7,7	1,38	0.69-2.47	0	0	0	-		11	38,03	36,37	1,48	0.74-2.65
Altre vie urinarie	0	-	-	-		1	0,71	0,75	0,92	0.01-5.09	0	0	0	-	
Occhio	0	-	-	-		1	0,71	0,46	12,82	0.17-71.34	0	0	0	-	
Encefalo e altro SNC (maligni)	18	12,69	12,91	2,23	1.32-3.53	11	7,76	7,05	1,77	0.88-3.17	7	24,2	25,66	2,2	0.88-4.53
(c) Encefalo e altro SNC (non maligni)	15	10,58	10,95	0,89	0.5-1.46	2	1,41	1,59	1,49	0.18-5.38	12	41,48	44,3	0,76	0.39-1.32
Tiroide	26	18,34	17	0,91	0.59-1.33	0	0	0	-		26	89,88	84,57	0,92	0.6-1.34
Altre ghiandole endocrine	0	-	-	-		0	0	0	-		0	0	0	-	
Linfoma di Hodgkin	9	6,35	6,28	2,01	0.92-3.82	2	1,41	1,34	2,76	0.33-9.97	9	31,11	31,16	2,18	0.99-4.14
Linfoma non Hodgkin	21	14,81	15,55	1,24	0.77-1.9	3	2,12	1,99	0,55	0.11-1.6	17	58,77	60,6	1,36	0.79-2.18
Mieloma	8	5,64	6,02	1,46	0.63-2.88	1	0,71	0,85	0,32	0-1.77	5	17,28	18,45	1,66	0.53-3.87
Leucemia linfatica acuta	0	-	-	-		0	0	0	-		0	0	0	-	
Leucemia linfatica cronica	2	1,41	1,25	1,62	0.2-5.86	0	0	0	-		2	6,91	6,25	2,13	0.26-7.67
Leucemia mieloide acuta	5	3,53	3,28	1,3	0.42-3.03	2	1,41	1,09	1,15	0.14-4.14	3	10,37	9,47	1,72	0.35-5.02
Leucemia mieloide cronica	1	0,71	0,54	0,79	0.01-4.39	0	0	0	-		0	0	0	-	
Altre MMPC e SMD	6	4,23	4,18	0,76	0.28-1.65	0	0	0	-		5	17,28	17,81	0,86	0.28-2.01
Leucemie NAS	1	0,71	0,7	0,7	0.01-3.87	4	2,82	2,36	1,32	0.35-3.37	1	3,46	3,23	3,4	0.04-18.93
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	16	11,28	9,88	1,44	0.82-2.34	10	7,05	6,49	0,84	0.4-1.54	3	10,37	12,07	1,18	0.24-3.44
Totale	591	416,78	413,5	1,08	1-1.17	187	131,87	123,56	1,02	0.88-1.18	420	1453,16	1442,99	1,03	0.93-1.13
Totale escluso (a)	520	366,71	365,02	1,08	0.99-1.18	186	131,17	122,92	1,02	0.88-1.18	358	1236,41	1237,77	1,02	0.92-1.13
Totale escluso (a)(b)(c)	494	348,38	346,37	1,08	0.99-1.18	184	129,76	121,33	1,02	0.88-1.18	335	1156,9	1157,09	1,02	0.92-1.14



Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	2	0,72	0,84	1,1	0.13-3.96	0	0	0	-		2	3,51	4,02	1,22	0.15-4.39
Lingua	2	0,72	0,83	0,72	0.09-2.62	0	0	0	-		2	3,51	3,86	1,09	0.13-3.94
Bocca	3	1,07	1,1	0,77	0.16-2.24	1	0,36	0,45	0,7	0.01-3.91	2	2,65	2,41	0,66	0.11-3.19
Ghiandole salivari	4	1,43	1,61	1,77	0.48-4.54	1	0,36	0,4	1,46	0.02-8.1	2	3,51	4,11	1,32	0.16-4.76
Orofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Rinofaringe	5	1,79	1,82	2,48	0.8-5.8	1	0,36	0,39	1,48	0.02-8.26	3	5,27	5,2	2,12	0.44-6.19
Ipfaringe	2	0,72	0,73	2,91	0.35-10.52	0	0	0	-		0	0	0	-	
Faringe NAS	1	0,36	0,36	3,5	0.05-19.46	2	0,72	0,75	2,59	0.31-9.36	1	1,76	1,61	6,31	0.08-35.13
Esofago	4	1,43	1,37	1,1	0.3-2.82	1	0,36	0,36	0,29	0-1.62	4	7,03	6,6	5,56	1.5-14.23
Stomaco	44	15,74	16,27	1,22	0.89-1.64	29	10,37	10,9	1,24	0.83-1.79	16	28,12	27,43	1,06	0.6-1.72
Intestino tenue	2	0,72	0,59	0,63	0.08-2.27	3	1,07	1,1	1,02	0.21-2.99	1	1,76	1,46	0,55	0.01-3.07
Colon	83	29,68	31,85	1,12	0.89-1.39	31	11,09	11,61	0,96	0.65-1.36	54	94,6	100,74	1,09	0.82-1.42
Retto	35	12,52	13,81	0,93	0.65-1.29	4	1,43	1,44	0,53	0.14-1.36	26	45,69	49,71	1	0.65-1.46
Fegato	94	33,62	35,51	1,53	1.24-1.87	80	28,61	29,28	1,68	1.34-2.1	29	50,96	53,68	1,27	0.85-1.83
Vie biliari	12	4,29	4,52	0,92	0.48-1.61	12	4,29	4,55	1,38	0.71-2.42	4	7,03	7,79	1,72	0.46-4.4
Pancreas	23	8,23	8,88	0,99	0.63-1.48	24	8,58	9,3	1,18	0.76-1.76	0	0	0	-	
Cavità nasale	1	0,36	0,28	0,63	0.01-3.52	0	0	0	-		0	0	0	-	
Laringe	23	8,23	9,44	1,61	1.02-2.42	11	3,93	4,35	1,89	0.94-3.39	19	33,39	38,17	1,76	1.06-2.74
Polmone	138	49,35	52,27	1,15	0.97-1.36	117	41,84	43,9	1,16	0.96-1.39	43	75,42	81,43	1,35	0.98-1.82
Altri organi toracici	1	0,36	0,39	0,26	0-1.46	1	0,36	0,36	0,26	0-1.45	1	1,76	1,86	0,49	0.01-2.7
Osso	4	1,43	1,43	1,17	0.32-3.01	2	0,72	0,65	0,81	0.1-2.91	4	7,03	7,07	1,61	0.43-4.11
Pelle, melanomi	24	8,58	8,71	0,86	0.55-1.29	2	0,72	0,73	0,41	0.05-1.49	19	33,39	32,99	0,76	0.46-1.19
(a) Pelle, non melanomi	172	61,51	64,93	1,1	0.94-1.28	4	1,43	1,44	2,52	0.68-6.45	147	257,89	267,19	1,01	0.86-1.19
Mesotelioma	3	1,07	1,14	0,56	0.12-1.64	0	0	0	-		1	1,76	1,61	0,61	0.01-3.41
Sarcoma di Kaposi	6	2,15	1,98	1,73	0.63-3.76	1	0,36	0,36	3,33	0.04-18.53	4	7,03	5,98	1,36	0.37-3.49
Tessuti molli	2	0,72	0,58	0,36	0.04-1.31	1	0,36	0,38	0,49	0.01-2.71	1	1,76	1,34	0,28	0-1.53
Mammella	140	50,07	52,45	1,04	0.87-1.22	34	12,16	12,98	1,05	0.73-1.47	126	220,84	227,24	1,01	0.84-1.2
Utero, collo	6	2,15	2,28	0,73	0.27-1.59	0	0	0	-		5	8,79	8,8	0,74	0.24-1.73
Utero, corpo	23	8,23	9,41	0,9	0.57-1.35	2	0,72	0,73	1	0.12-3.61	17	29,87	33,99	0,8	0.46-1.28
Utero NAS	0	-	-	-		5	1,79	2,05	0,74	0.24-1.72	0	0	0	-	
Ovaio	16	5,72	6,05	1,04	0.59-1.69	8	2,86	2,92	1,33	0.57-2.63	7	12,3	12,9	0,73	0.29-1.49
Altri genitali femminili	5	1,79	1,86	1,17	0.38-2.73	0	0	0	-		4	7,03	6,93	1,37	0.37-3.51
Pene	0	-	-	-		0	0	0	-		0	0	0	-	
Prostata	84	30,04	31,88	1,04	0.83-1.29	29	10,37	10,75	1,43	0.96-2.06	64	111,6	115,91	0,93	0.72-1.2
Testicolo	11	3,93	3,67	1,09	0.54-1.95	0	0	0	-		11	19,33	18,24	1,12	0.56-2.01
Altri genitali maschili	1	0,36	0,38	3,55	0.05-19.75	1	0,36	0,27	11,74	0.15-65.3	1	1,76	1,84	3,95	0.05-21.96
Rene	18	6,44	6,77	0,87	0.52-1.38	4	1,43	1,43	0,96	0.26-2.47	13	22,33	23,69	0,79	0.43-1.39
Vescica (maligni)	53	18,95	20,3	1,15	0.86-1.51	20	7,15	7,46	0,93	0.57-1.44	34	59,75	64,29	1,07	0.74-1.5
(b) Vescica (non maligni)	62	22,17	23,71	1,45	1.11-1.86	1	0,36	0,39	3,63	0.05-20.2	57	100,17	104,78	1,49	1.13-1.94
Altre vie urinarie	7	2,5	2,8	1,6	0.64-3.3	4	1,43	1,57	1,16	0.31-2.97	6	10,54	11,57	2,04	0.74-4.44
Occhio	1	0,36	0,38	0,54	0.01-2.99	1	0,36	0,28	6,53	0.09-36.31	1	1,76	1,73	0,59	0.01-3.26
Encefalo e altro SNC (maligni)	33	11,8	12,26	1,82	1.26-2.56	22	7,87	7,98	1,52	0.95-2.31	13	22,85	23,3	1,87	1-3.2
(c) Encefalo e altro SNC (non maligni)	31	11,09	11,4	1,18	0.8-1.68	2	0,72	0,84	0,86	0.1-3.12	28	49,2	51,61	1,15	0.76-1.66
Tiroide	37	13,23	12,3	0,95	0.67-1.3	1	0,36	0,39	0,58	0.01-3.21	36	63,26	59,72	0,96	0.67-1.32
Altre ghiandole endocrine	4	1,43	1,55	0,87	0.23-2.22	1	0,36	0,4	1,36	0.02-7.59	1	1,76	2,06	0,25	0-1.39
Linfoma di Hodgkin	15	5,36	5,32	1,54	0.86-2.55	2	0,72	0,73	1,1	0.13-3.97	15	26,36	26,76	1,7	0.95-2.81
Linfoma non Hodgkin	37	13,23	14,51	0,93	0.65-1.28	13	4,65	4,94	0,99	0.53-1.7	27	47,45	49,79	0,95	0.63-1.39
Mieloma	11	3,93	4,53	0,85	0.42-1.51	5	1,79	1,85	0,7	0.23-1.64	7	12,3	13,7	0,94	0.38-1.93
Leucemia linfatica acuta	2	0,72	0,77	0,4	0.05-1.46	1	0,36	0,39	0,54	0.01-2.99	0	0	0	-	
Leucemia linfatica cronica	6	2,15	2,37	1,63	0.59-3.54	0	0	0	-		6	10,54	11,67	2,25	0.82-4.89
Leucemia mieloide acuta	9	3,22	3,21	1,18	0.54-2.24	3	1,07	1,01	0,89	0.18-2.59	6	10,54	9,66	1,96	0.72-4.27
Leucemia mieloide cronica	1	0,36	0,28	0,34	0-1.9	0	0	0	-		0	0	0	-	
Altre MMPC e SMD	13	4,65	4,78	0,75	0.4-1.28	3	1,07	1,04	1,47	0.3-4.3	9	15,82	16,72	0,69	0.32-1.31
Leucemie NAS	3	1,07	1,13	0,91	0.19-2.65	8	2,86	3	1,24	0.53-2.44	3	5,27	5,21	2,58	0.53-7.55
Miscellanea	1	0,36	0,37	2,08	0.03-11.57	0	0	0	-		1	1,76	1,94	3,38	0.04-18.81
Mal definite e metastasi	27	9,66	9,79	1,35	0.89-1.97	28	10,01	10,06	1,13	0.75-1.64	4	7,03	7,95	0,82	0.22-2.09
Totale	1347	481,72	507,76	1,11	1.05-1.17	526	188,11	196,19	1,15	1.05-1.25	885	1555,03	1618,25	1,05	0.98-1.12
Totale escluso (a)	1175	420,21	442,83	1,11	1.04-1.17	522	186,68	194,75	1,14	1.04-1.24	738	1297,14	1351,06	1,06	0.98-1.13
Totale escluso (a)(b)(c)	1082	386,95	407,72	1,09	1.03-1.16	519	185,61	193,52	1,14	1.04-1.24	653	1147,76	1194,66	1,03	0.95-1.11