

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro															
Lingua	6	2,42	2,4	1,61	0.59-3.5	4	1,61	1,57	2,82	0.76-7.22	4	7,18	6,98	1,4	0.42-4
Bocca	6	2,42	2,25	1,42	0.52-3.1	2	0,81	0,73	1,39	0.17-5.02	2	4,01	3,6	0,83	0.1-2.99
Ghiandole salivari	0	-	-	-		0	0	0	-		0	0	0	-	
Orofaringe	3	1,21	1,17	1,48	0.3-4.31	2	0,81	0,82	2,51	0.3-9.05	1	2,01	1,75	1,13	0.01-6.3
Rinofaringe	4	1,61	1,69	1,32	0.36-3.39	0	0	0	-		4	7,09	7,17	1,93	0.59-5.59
Ipopofaringe	4	1,61	1,61	3,5	0.94-8.96	2	0,81	0,87	11,72	1.42-42.3	1	2,01	2,1	2,04	0.03-11.35
Faringe NAS	1	0,4	0,44	2,66	0.03-14.82	2	0,81	0,76	1,39	0.17-5.03	0	0	0	-	
Esofago	7	2,82	3,04	1,42	0.57-2.93	8	3,23	3,03	1,73	0.75-3.41	1	2,01	1,84	0,83	0.01-4.63
Stomaco	42	16,94	16,64	0,88	0.64-1.19	34	13,71	13,17	1,12	0.78-1.57	14	28,1	26,04	0,7	0.38-1.17
Intestino tenue	5	2,02	1,96	1,82	0.59-4.25	10	4,03	3,79	3,33	1.59-6.12	5	10,04	9,66	3,21	1.03-7.49
Colon	99	39,93	39,16	1,09	0.89-1.33	25	10,08	10,66	0,61	0.4-0.91	67	133,55	126,54	1,14	0.89-1.46
Retto	50	20,17	19,69	1,14	0.84-1.5	7	2,82	2,95	0,82	0.33-1.68	40	80,29	75,18	1,4	1-1.9
Fegato	122	49,2	47,28	1,39	1.15-1.66	98	39,52	38,13	1,44	1.17-1.75	50	100,36	91,73	1,57	1.16-2.07
Vie biliari	18	7,26	7,14	1,51	0.89-2.38	8	3,23	3,21	1,02	0.44-2	4	8,03	7,94	1,79	0.48-4.59
Pancreas	25	10,08	9,8	0,98	0.64-1.45	21	8,47	8,61	0,91	0.56-1.39	5	10,04	9,67	1,13	0.36-2.64
Cavità nasale	3	1,21	1,28	1,78	0.37-5.21	0	0	0	-		1	2,01	1,94	0,97	0.01-5.4
Laringe	34	13,71	13,29	1,26	0.87-1.76	16	6,45	6,06	1,39	0.79-2.25	22	44,16	41,16	1,07	0.67-1.62
Polmone	198	79,85	77,18	0,93	0.81-1.07	176	70,98	67,99	0,96	0.82-1.11	44	88,32	82,94	0,84	0.61-1.13
Altri organi toracici	3	1,21	1,09	0,6	0.12-1.75	4	1,61	1,44	0,58	0.15-1.47	2	4,01	3,74	0,95	0.12-3.45
Osso	3	1,21	1,2	0,76	0.16-2.22	4	1,61	1,48	1,53	0.41-3.93	2	4,01	4,31	0,69	0.08-2.49
Pelle, melanomi	22	8,87	8,82	0,84	0.53-1.28	6	2,42	2,29	1,16	0.42-2.53	17	33,19	32,71	0,74	0.44-1.22
(a) Pelle, non melanomi	185	74,61	72,55	0,93	0.8-1.07	1	0,4	0,38	0,51	0.01-2.86	167	335,58	309,74	0,92	0.79-1.07
Mesotelioma	6	2,42	2,24	0,61	0.22-1.32	1	0,4	0,39	0,72	0.01-4.01	2	4,01	3,8	0,74	0.09-2.68
Sarcoma di Kaposi	4	1,61	1,51	0,74	0.2-1.88	0	0	0	-		4	8,03	7,4	0,91	0.25-2.34
Tessuti molli	8	3,23	3,06	1,29	0.56-2.54	1	0,4	0,37	0,34	0-1.89	7	14,05	13,06	1,85	0.74-3.82
Mammella	1	0,4	0,39	0,37	0-2.07	1	0,4	0,37	0,86	0.01-4.77	1	2,01	1,84	0,42	0.01-2.35
Pene	2	0,81	0,81	0,43	0.05-1.56	0	0	0	-		2	4,01	3,86	0,58	0.07-2.09
Prostata	146	58,88	56,27	0,81	0.68-0.95	49	19,76	21,08	1,06	0.78-1.4	116	232,84	212,59	0,77	0.63-0.92
Testicolo	19	7,66	7,25	1,08	0.65-1.69	0	0	0	-		19	38,14	36,66	1,13	0.68-1.76
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	18	7,26	7,07	0,66	0.39-1.04	5	2,02	2,32	0,81	0.26-1.89	12	24,09	22,46	0,58	0.3-1.02
Vescica (maligni)	81	32,67	30,77	0,95	0.75-1.18	49	19,76	18,31	1,26	0.93-1.66	56	112,95	103,63	0,96	0.72-1.24
(b) Vescica (non maligni)	89	35,89	34,48	1,19	0.95-1.46	0	0	0	-		81	162,59	150,46	1,24	0.98-1.54
Altre vie urinarie	7	2,82	3,18	0,87	0.35-1.8	6	2,42	2,25	1,15	0.42-2.5	5	10,04	8,87	0,92	0.3-2.15
Occhio	2	0,81	0,89	1,86	0.23-6.73	0	0	0	-		2	4,01	4,4	1,97	0.24-7.11
Encefalo e altro SNC (maligni)	13	5,24	5,37	0,61	0.32-1.04	9	3,63	3,63	0,5	0.23-0.95	5	10,04	10,29	0,67	0.22-1.56
(c) Encefalo e altro SNC (non maligni)	12	4,84	4,51	0,65	0.34-1.14	0	0	0	-		9	18,07	16,78	0,53	0.24-1.01
Tiroide	33	13,31	12,83	1,86	1.28-2.61	1	0,4	0,36	0,49	0.01-2.74	31	62,23	60,43	2,05	1.39-2.9
Altre ghiandole endocrine	4	1,61	1,82	0,81	0.22-2.08	1	0,4	0,52	1,11	0.01-6.18	3	6,02	6,32	0,78	0.16-2.29
Linfoma di Hodgkin	8	3,23	3,06	0,82	0.35-1.61	3	1,21	1,38	1,41	0.29-4.12	7	14,05	13,84	0,82	0.33-1.68
Linfoma non Hodgkin	44	17,75	16,98	0,93	0.68-1.25	13	5,24	4,79	0,76	0.4-1.3	32	64,37	61,58	1,02	0.69-1.43
Mieloma	10	4,03	3,87	0,61	0.29-1.12	7	2,82	2,75	0,78	0.31-1.6	7	14,05	12,94	0,73	0.29-1.51
Leucemia linfatica acuta	1	0,4	0,37	0,19	0-1.04	0	0	0	-		1	1,07	0,94	0,15	0-1.61
Leucemia linfatica cronica	5	2,02	1,79	0,91	0.29-2.13	1	0,4	0,36	0,32	0-1.77	3	6,02	5,64	0,77	0.16-2.24
Leucemia mieloide acuta	9	3,63	3,37	1,15	0.53-2.19	3	1,21	1,12	0,86	0.18-2.53	4	8,03	7,89	1,58	0.43-4.04
Leucemia mieloide cronica	4	1,61	1,59	1,3	0.35-3.33	1	0,4	0,31	0,59	0.01-3.26	3	6,02	6,14	1,29	0.27-3.77
Altre MMPC e SMD	19	7,66	7,69	0,97	0.58-1.51	1	0,4	0,67	0,46	0.01-2.59	14	28,1	25,51	0,98	0.53-1.64
Leucemie NAS	2	0,81	0,73	0,47	0.06-1.71	4	1,61	1,49	0,51	0.14-1.32	1	2,01	1,76	0,53	0.01-2.95
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	22	8,87	9,04	1,16	0.73-1.76	11	4,44	4,31	0,37	0.18-0.66	7	14,05	13,18	1,53	0.61-3.15
Totale	1411	569,07	551,34	0,98	0.93-1.03	597	240,77	234,7	0,97	0.9-1.05	887	1780,91	1662,52	0,98	0.92-1.05
Totale escluso (a)	1226	494,45	478,8	0,99	0.94-1.05	596	240,37	234,31	0,97	0.9-1.05	720	1445,34	1352,78	0,99	0.92-1.07
Totale escluso (a)(b)(c)	1125	453,72	439,81	0,98	0.93-1.04	596	240,37	234,31	0,98	0.9-1.06	630	1264,68	1185,54	0,98	0.91-1.06

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Lingua	3	1,15	0,88	1,69	0.35-4.94	2	0,77	0,52	2,42	0.29-8.73	2	3,81	3,44	1,88	0.23-6.8
Bocca	5	1,92	1,82	1,34	0.43-3.12	1	0,38	0,36	0,61	0.01-3.37	3	5,72	4,9	1,35	0.28-3.95
Ghiandole salivari	2	0,77	0,73	0,97	0.12-3.52	0	0	0	-	-	1	1,91	1,9	0,72	0.01-3.98
Orofaringe	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Rinofaringe	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Ipopofaringe	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Faringe NAS	0	-	-	-	-	1	0,38	0,33	5,69	0.07-31.66	0	0	0	-	-
Esofago	4	1,54	1,33	1,51	0.41-3.87	3	1,15	0,89	1,31	0.27-3.84	1	1,91	1,66	1,64	0.02-9.12
Stomaco	38	14,6	12,25	1,24	0.88-1.7	29	11,14	9,05	1,44	0.96-2.06	16	30,51	26,38	1,34	0.76-2.17
Intestino tenue	4	1,54	1,27	1,14	0.31-2.91	4	1,54	1,37	1,52	0.41-3.9	0	0	0	-	-
Colon	68	26,12	22,24	0,98	0.76-1.24	34	13,06	10,62	1,1	0.76-1.54	52	98,53	82,94	1,11	0.84-1.47
Retto	35	13,44	11,67	0,96	0.67-1.33	6	2,3	2,1	0,75	0.27-1.63	25	47,68	40,55	0,95	0.62-1.41
Fegato	64	24,58	19,38	1,42	1.1-1.82	61	23,43	17,79	1,72	1.32-2.22	22	41,32	34,39	1,38	0.88-2.13
Vie biliari	27	10,37	7,76	1,79	1.18-2.61	23	8,84	6,6	2,16	1.37-3.24	2	3,81	2,93	0,7	0.09-2.54
Pancreas	26	9,99	8,4	1,03	0.67-1.51	23	8,84	7,33	1,06	0.67-1.59	1	1,91	1,35	0,26	0-1.43
Cavità nasale	1	0,38	0,35	0,79	0.01-4.39	0	0	0	-	-	1	1,91	1,66	0,98	0.01-5.47
Laringe	6	2,3	2,04	1,7	0.62-3.71	4	1,54	1,08	4,07	1.09-10.42	5	9,54	9,08	1,78	0.57-4.16
Polmone	48	18,44	16,49	0,93	0.69-1.24	32	12,29	9,59	0,77	0.53-1.09	22	41,96	39,65	1,35	0.85-2.05
Altri organi toracici	2	0,77	0,54	0,71	0.09-2.56	1	0,38	0,33	0,64	0.01-3.56	0	0	0	-	-
Osso	6	2,3	2,3	2,92	1.06-6.35	2	0,77	0,63	0,84	0.1-3.03	5	9,54	10,39	3,85	1.24-8.99
Pelle, melanomi	22	8,45	7,84	0,77	0.48-1.16	4	1,54	1,13	0,86	0.23-2.19	21	40,05	37,94	0,81	0.5-1.24
(a) Pelle, non melanomi	135	51,86	44,4	0,98	0.82-1.16	0	0	0	-	-	128	243,47	202,83	1,02	0.85-1.21
Mesotelioma	4	1,54	1,47	2,26	0.61-5.79	3	1,15	1,06	18,33	3.78-53.56	0	0	0	-	-
Sarcoma di Kaposi	6	2,3	1,76	2,93	1.07-6.38	0	0	0	-	-	5	9,54	7,26	2,87	0.92-6.69
Tessuti molli	5	1,92	1,68	1,15	0.37-2.69	2	0,77	0,96	1,69	0.2-6.09	5	9,54	8,3	1,89	0.61-4.42
Mammella	257	98,72	88,88	0,94	0.83-1.07	74	28,43	23	1,09	0.86-1.37	237	451,99	399,27	0,96	0.84-1.09
Utero, collo	23	8,84	7,52	1,51	0.96-2.27	1	0,38	0,33	0,63	0.01-3.49	20	37,56	31,55	1,64	1.01-2.57
Utero, corpo	46	17,67	15,95	0,85	0.62-1.14	6	2,3	1,78	1,44	0.53-3.14	38	71,93	64,93	0,85	0.61-1.18
Utero NAS	4	1,54	1,48	1,75	0.47-4.48	10	3,84	3,51	0,68	0.33-1.25	3	5,72	5,77	4,75	0.98-13.86
Ovaio	33	12,68	11,46	1,05	0.73-1.48	11	4,23	3,52	0,85	0.42-1.52	18	34,33	32,38	0,95	0.56-1.51
Altri genitali femminili	10	3,84	2,74	1,07	0.51-1.97	3	1,15	0,81	0,62	0.13-1.81	9	17,16	12,22	1,48	0.67-2.81
Rene	8	3,07	2,94	0,47	0.2-0.92	2	0,77	0,45	0,62	0.08-2.25	5	9,54	8,87	0,37	0.12-0.87
Vescica (maligni)	18	6,91	5,32	1,11	0.66-1.75	9	3,46	2,17	1,11	0.51-2.11	9	17,16	15,33	0,85	0.39-1.61
(b) Vescica (non maligni)	18	6,91	6,05	1,06	0.63-1.68	0	0	0	-	-	15	28,06	25,08	0,93	0.53-1.57
Altre vie urinarie	2	0,77	0,63	1,1	0.13-3.97	4	1,54	1,33	1,78	0.48-4.55	1	1,91	1,35	0,82	0.01-4.54
Occhio	1	0,38	0,37	0,43	0.01-2.39	0	0	0	-	-	1	1,91	1,86	0,5	0.01-2.77
Encefalo e altro SNC (maligni)	18	6,91	6,6	1,06	0.63-1.67	19	7,3	6,58	1,48	0.89-2.31	4	7,63	7,25	0,61	0.16-1.56
(c) Encefalo e altro SNC (non maligni)	19	7,3	6,75	0,56	0.33-0.87	0	0	0	-	-	19	36,24	32,46	0,61	0.37-0.96
Tiroide	47	18,05	17,37	0,87	0.64-1.15	2	0,77	0,63	1,14	0.14-4.11	46	86,96	84,24	0,86	0.63-1.15
Altre ghiandole endocrine	1	0,38	0,41	0,28	0-1.54	1	0,38	0,33	1,94	0.03-10.77	0	0	0	-	-
Linfoma di Hodgkin	8	3,07	3,16	0,93	0.4-1.84	1	0,38	0,41	0,63	0.01-3.5	8	15,26	15,83	1,02	0.44-2.01
Linfoma non Hodgkin	43	16,52	15,31	1,23	0.89-1.66	14	5,38	4,77	1,23	0.67-2.06	31	59,12	54,65	1,23	0.84-1.75
Mieloma	11	4,23	3,64	0,91	0.45-1.63	8	3,07	2,23	1,2	0.52-2.36	4	6,86	5,27	0,53	0.16-1.5
Leucemia linfatica acuta	3	1,15	1,33	1,02	0.21-2.97	0	0	0	-	-	3	5,72	6,71	1,43	0.29-4.18
Leucemia linfatica cronica	2	0,77	0,55	0,71	0.09-2.56	4	1,54	1,26	1,82	0.49-4.67	1	1,91	1,66	0,46	0.01-2.56
Leucemia mieloide acuta	11	4,23	3,92	1,46	0.73-2.6	7	2,69	2,16	2	0.8-4.13	6	11,44	12,45	1,92	0.7-4.19
Leucemia mieloide cronica	2	0,77	0,73	0,78	0.09-2.83	4	1,54	1,26	4,01	1.08-10.28	1	1,91	1,66	0,46	0.01-2.59
Altre MMPC e SMD	25	9,6	8,77	1,61	1.04-2.38	5	1,92	1,09	2,07	0.67-4.84	20	38,14	34,95	1,84	1.12-2.84
Leucemie NAS	4	1,54	1,15	1,34	0.36-3.42	6	2,3	1,83	0,9	0.33-1.96	0	0	0	-	-
Miscellanea	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Mal definite e metastasi	26	9,99	7,72	1,06	0.69-1.56	17	6,53	5,66	0,64	0.37-1.03	2	3,81	2,84	0,35	0.04-1.27
Totale	1151	442,14	387,38	1,01	0.95-1.07	443	170,17	136,84	1,13	1.03-1.24	815	1554,89	1376,14	0,98	0.92-1.05
Totale escluso (a)	1016	390,28	342,98	1,02	0.95-1.08	443	170,17	136,84	1,14	1.03-1.25	688	1311,42	1173,31	0,98	0.9-1.05
Totale escluso (a)(b)(c)	979	376,07	330,17	1,03	0.97-1.1	443	170,17	136,84	1,15	1.04-1.26	654	1247,12	1115,77	0,99	0.92-1.07



Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	2	0,39	0,35	0,48	0.06-1.72	0	0	0	-		2	1,96	1,69	0,54	0.06-1.93
Lingua	9	1,77	1,65	1,64	0.75-3.12	6	1,18	1,03	2,67	0.98-5.82	6	5,46	5,2	1,55	0.61-3.62
Bocca	11	2,16	2,01	1,39	0.69-2.48	3	0,59	0,52	0,97	0.2-2.84	5	4,89	4,26	1,08	0.35-2.51
Ghiandole salivari	2	0,39	0,38	0,41	0.05-1.48	0	0	0	-		1	0,98	0,98	0,31	0-1.75
Orofaringe	3	0,59	0,57	1,2	0.25-3.52	2	0,39	0,4	1,77	0.21-6.4	1	0,98	0,86	0,81	0.01-4.52
Rinofaringe	4	0,79	0,82	0,92	0.25-2.34	0	0	0	-		4	3,46	3,48	1,24	0.38-3.58
Ipopofaringe	4	0,79	0,76	3,03	0.81-7.75	2	0,39	0,42	11,76	1.42-42.47	1	0,98	1,02	2,06	0.03-11.45
Faringe NAS	1	0,2	0,21	1,59	0.02-8.84	3	0,59	0,54	1,88	0.39-5.51	0	0	0	-	
Esofago	11	2,16	2,02	1,45	0.73-2.6	11	2,16	1,91	1,6	0.8-2.86	2	1,96	1,75	1,11	0.13-3.99
Stomaco	80	15,74	14,14	1,03	0.81-1.28	63	12,39	10,95	1,25	0.96-1.6	30	29,34	26,44	0,94	0.63-1.34
Intestino tenue	9	1,77	1,66	1,44	0.66-2.73	14	2,75	2,51	2,49	1.36-4.17	5	4,89	4,63	1,44	0.46-3.35
Colon	167	32,86	29,53	1,05	0.89-1.22	59	11,61	10,39	0,83	0.63-1.07	118	115,59	102,08	1,13	0.94-1.35
Retto	85	16,72	15,32	1,06	0.84-1.31	13	2,56	2,38	0,78	0.42-1.34	65	63,57	56,78	1,19	0.92-1.51
Fegato	186	36,59	32,12	1,41	1.21-1.62	159	31,28	26,9	1,54	1.31-1.8	72	70,09	61,65	1,52	1.19-1.92
Vie biliari	45	8,85	7,77	1,67	1.22-2.23	31	6,1	5,2	1,67	1.14-2.38	6	5,87	5,41	1,18	0.43-2.58
Pancreas	51	10,03	9,01	1,01	0.75-1.33	44	8,66	7,74	0,98	0.72-1.32	6	5,87	5,45	0,72	0.26-1.58
Cavità nasale	4	0,79	0,82	1,36	0.37-3.47	0	0	0	-		2	1,96	1,8	0,98	0.12-3.54
Laringe	40	7,87	7,43	1,32	0.94-1.8	20	3,93	3,47	1,61	0.98-2.48	27	26,4	24,27	1,16	0.77-1.69
Polmone	246	48,4	43,88	0,94	0.83-1.07	208	40,92	35,77	0,93	0.81-1.06	66	64,55	59,41	0,97	0.75-1.23
Altri organi toracici	5	0,98	0,81	0,64	0.21-1.49	5	0,98	0,82	0,59	0.19-1.38	2	1,96	1,82	0,5	0.06-1.81
Osso	9	1,77	1,81	1,5	0.68-2.85	6	1,18	1,08	1,2	0.44-2.62	7	6,85	7,47	1,67	0.67-3.43
Pelle, melanomi	44	8,66	8,03	0,81	0.59-1.08	10	1,97	1,68	1,02	0.49-1.87	38	36,71	34,35	0,78	0.56-1.08
(a) Pelle, non melanomi	320	62,96	56,64	0,95	0.85-1.06	1	0,2	0,19	0,26	0-1.42	295	288,35	250,99	0,96	0.86-1.08
Mesotelioma	10	1,97	1,79	0,87	0.42-1.6	4	0,79	0,74	2,62	0.7-6.7	2	1,96	1,81	0,56	0.07-2
Sarcoma di Kaposi	10	1,97	1,78	1,34	0.64-2.46	0	0	0	-		9	8,8	7,7	1,47	0.67-2.8
Tessuti molli	13	2,56	2,33	1,24	0.66-2.11	3	0,59	0,65	0,73	0.15-2.12	12	11,74	10,55	1,87	0.97-3.27
Mammella	258	50,76	47,08	0,93	0.82-1.05	75	14,76	12,83	1,08	0.85-1.36	238	232,75	210,41	0,95	0.83-1.07
Utero, collo	23	4,53	4,04	1,51	0.95-2.26	1	0,2	0,17	0,62	0.01-3.45	20	19,26	16,84	1,63	1.01-2.56
Utero, corpo	46	9,05	8,45	0,84	0.62-1.13	6	1,18	1,01	1,43	0.52-3.12	38	36,88	33,87	0,84	0.6-1.17
Utero NAS	4	0,79	0,82	1,75	0.47-4.48	10	1,97	1,92	0,67	0.32-1.24	3	2,93	2,98	4,7	0.97-13.74
Ovaio	33	6,49	6,09	1,05	0.72-1.47	11	2,16	1,96	0,84	0.42-1.5	18	17,6	16,75	0,95	0.56-1.5
Altri genitali femminili	10	1,97	1,56	1,06	0.51-1.96	3	0,59	0,49	0,62	0.13-1.8	9	8,8	6,89	1,46	0.67-2.78
Pene	2	0,39	0,39	0,44	0.05-1.58	0	0	0	-		2	1,96	1,85	0,58	0.07-2.1
Prostata	146	28,72	25,55	0,82	0.69-0.96	49	9,64	7,96	1,06	0.78-1.4	116	113,44	100,01	0,78	0.64-0.93
Testicolo	19	3,74	3,56	1,07	0.65-1.68	0	0	0	-		19	18,58	17,98	1,12	0.67-1.75
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	26	5,12	4,92	0,59	0.38-0.86	7	1,38	1,05	0,75	0.3-1.54	17	16,63	15,44	0,5	0.29-0.8
Vescica (maligni)	99	19,48	16,97	0,98	0.8-1.19	58	11,41	9,26	1,24	0.94-1.6	65	63,83	55,13	0,95	0.73-1.21
(b) Vescica (non maligni)	107	21,05	19,16	1,17	0.96-1.42	0	0	0	-		96	93,6	83,51	1,19	0.97-1.46
Altre vie urinarie	9	1,77	1,58	0,92	0.42-1.75	10	1,97	1,72	1,35	0.64-2.48	6	5,87	4,92	0,91	0.33-1.98
Occhio	3	0,59	0,63	0,88	0.18-2.58	0	0	0	-		3	2,93	3,15	0,99	0.2-2.89
Encefalo e altro SNC (maligni)	31	6,1	5,86	0,81	0.55-1.15	28	5,51	5,04	0,91	0.61-1.32	9	8,8	8,8	0,64	0.29-1.22
(c) Encefalo e altro SNC (non maligni)	31	6,1	5,71	0,59	0.4-0.84	0	0	0	-		28	27,38	25,21	0,58	0.39-0.84
Tiroide	80	15,74	15,09	1,11	0.88-1.38	3	0,59	0,49	0,79	0.16-2.32	77	74,91	72,4	1,12	0.89-1.41
Altre ghiandole endocrine	5	0,98	1,12	0,59	0.19-1.38	2	0,39	0,43	1,42	0.17-5.13	3	2,93	3,13	0,42	0.09-1.23
Linfoma di Hodgkin	16	3,15	3,1	0,87	0.5-1.42	4	0,79	0,72	1,08	0.29-2.76	15	14,67	14,78	0,91	0.51-1.51
Linfoma non Hodgkin	87	17,12	16,07	1,06	0.85-1.31	27	5,31	4,69	0,95	0.63-1.38	63	61,68	58,1	1,11	0.86-1.42
Mieloma	21	4,13	3,76	0,74	0.46-1.13	15	2,95	2,58	0,96	0.54-1.58	11	10,36	8,9	0,65	0.34-1.21
Leucemia linfatica acuta	4	0,79	0,83	0,48	0.13-1.24	0	0	0	-		4	3,46	3,73	0,64	0.19-1.84
Leucemia linfatica cronica	7	1,38	1,09	0,85	0.34-1.74	5	0,98	0,84	0,94	0.3-2.19	4	3,91	3,49	0,66	0.18-1.68
Leucemia mieloide acuta	20	3,93	3,59	1,3	0.79-2.01	10	1,97	1,69	1,44	0.69-2.65	10	9,78	10,11	1,77	0.85-3.26
Leucemia mieloide cronica	6	1,18	1,15	1,07	0.39-2.33	5	0,98	0,83	1,86	0.6-4.34	4	3,91	3,95	0,9	0.24-2.29
Altre MMPC e SMD	44	8,66	7,98	1,25	0.91-1.68	6	1,18	0,88	1,31	0.48-2.86	34	33,25	30,25	1,35	0.94-1.89
Leucemie NAS	6	1,18	0,96	0,83	0.3-1.82	10	1,97	1,66	0,69	0.33-1.28	1	0,98	0,83	0,38	0-2.12
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	48	9,44	8,44	1,11	0.82-1.47	28	5,51	5,17	0,5	0.33-0.72	9	8,8	7,95	0,88	0.4-1.67
Totale	2562	504,06	459,18	1	0.96-1.04	1040	204,61	178,69	1,04	0.97-1.1	1703	1665,01	1503,23	0,98	0.94-1.03
Totale escluso (a)	2242	441,1	402,54	1	0.96-1.05	1039	204,42	178,5	1,04	0.98-1.1	1408	1376,67	1252,23	0,99	0.94-1.04
Totale escluso (a)(b)(c)	2104	413,95	377,67	1,01	0.97-1.05	1039	204,42	178,5	1,05	0.98-1.11	1284	1255,68	1143,51	0,99	0.94-1.04