

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	1	0,61	0,51	0,48	0.01-2.69	0	0	0	-		0	0	0	-	
Lingua	3	1,84	1,7	1,06	0.22-3.09	0	0	0	-		3	9,19	8,72	1,64	0.34-4.79
Bocca	3	1,84	1,73	0,95	0.19-2.76	0	0	0	-		3	9,19	8,7	1,81	0.37-5.3
Ghiandole salivari	3	1,84	1,42	1,7	0.35-4.97	1	0,61	0,8	1,58	0.02-8.78	1	3,06	2,2	0,88	0.01-4.91
Orofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Rinofaringe	2	1,23	1,25	0,93	0.11-3.37	1	0,61	0,6	1,44	0.02-8.02	1	3,06	3,14	0,75	0.01-4.15
Ipfaringe	1	0,61	0,64	1,02	0.01-5.7	0	0	0	-		1	3,06	3,14	3,2	0.04-17.82
Faringe NAS	0	-	-	-		0	0	0	-		0	0	0	-	
Esofago	5	3,07	2,55	1,38	0.44-3.22	4	2,45	2,05	1,11	0.3-2.84	1	3,06	3,14	1,18	0.02-6.58
Stomaco	32	19,63	17,23	0,92	0.63-1.3	26	15,95	14,57	1,16	0.75-1.69	14	42,88	34,84	0,97	0.53-1.63
Intestino tenue	2	1,23	1,16	0,94	0.11-3.4	5	3,07	2,87	2,01	0.65-4.7	1	3,06	3,68	0,75	0.01-4.18
Colon	72	44,18	39,31	1,06	0.83-1.34	42	25,77	22,97	1,47	1.06-1.99	45	136,47	113,83	1,02	0.75-1.37
Retto	39	23,93	20,28	1,2	0.85-1.64	6	3,68	3,25	0,95	0.35-2.07	30	91,89	74,5	1,41	0.95-2.01
Fegato	56	34,36	27,76	0,82	0.62-1.07	47	28,84	24,58	0,89	0.65-1.18	14	42,88	33,06	0,55	0.3-0.92
Vie biliari	12	7,36	5,83	1,32	0.68-2.31	7	4,29	3,38	1,2	0.48-2.48	1	3,06	2,33	0,55	0.01-3.05
Pancreas	13	7,98	7,15	0,68	0.36-1.16	15	9,2	8,42	0,88	0.49-1.44	1	3,06	2,87	0,29	0-1.62
Cavità nasale	2	1,23	1,09	1,62	0.2-5.86	0	0	0	-		2	6,13	5,21	3,12	0.38-11.25
Laringe	21	12,88	11,2	1,03	0.64-1.57	10	6,14	5,38	1,14	0.54-2.09	14	42,88	35,89	0,92	0.5-1.54
Polmone	171	104,92	89,94	1,09	0.94-1.27	152	93,26	80,04	1,12	0.95-1.31	40	122,52	98,33	1,04	0.74-1.41
Altri organi toracici	5	3,07	3,06	1,47	0.47-3.44	3	1,84	2,2	0,58	0.12-1.7	2	6,13	4,74	1,39	0.17-5.04
Osso	8	4,91	4,79	3,61	1.56-7.12	3	1,84	2,03	1,57	0.32-4.59	6	18,38	18,18	3,76	1.37-8.19
Pelle, melanomi	20	12,27	10,99	1,1	0.67-1.71	5	3,07	2,98	1,37	0.44-3.19	15	45,94	42,33	0,98	0.55-1.61
(a) Pelle, non melanomi	154	94,49	82,41	1,06	0.9-1.24	1	0,61	0,8	0,68	0.01-3.77	139	425,74	352,79	1,04	0.88-1.23
Mesotelioma	4	2,45	1,94	0,55	0.15-1.4	1	0,61	0,49	0,99	0.01-5.48	3	7,83	6,01	1,37	0.33-4.68
Sarcoma di Kaposi	10	6,14	5,4	2,8	1.34-5.15	1	0,61	0,49	3,28	0.04-18.26	7	21,44	17,75	2,38	0.96-4.91
Tessuti molli	6	3,68	3,45	1,37	0.5-2.99	3	1,84	1,88	1,58	0.32-4.61	3	9,19	8,6	1,05	0.22-3.07
Mammella	3	1,84	1,42	1,72	0.35-5.03	0	0	0	-		3	9,19	6,76	1,97	0.41-5.77
Pene	6	3,68	3,35	1,96	0.72-4.27	2	1,23	1,15	3,67	0.44-13.25	4	12,25	10,87	1,71	0.46-4.37
Prostata	142	87,13	72,72	1,06	0.89-1.25	30	18,41	17,1	0,86	0.58-1.22	119	363,12	279,9	1,04	0.87-1.25
Testicolo	13	7,98	7,9	1,16	0.62-1.98	1	0,61	0,61	2,41	0.03-13.41	12	36,75	37,21	1,11	0.57-1.93
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	24	14,73	13,09	1,27	0.81-1.89	3	1,84	1,59	0,66	0.14-1.93	15	45,94	40,53	1,05	0.59-1.74
Vescica (maligni)	63	38,65	32,98	0,99	0.76-1.27	34	20,86	18,21	1,15	0.8-1.61	46	140,89	114,65	1,05	0.77-1.41
(b) Vescica (non maligni)	73	44,79	38,26	1,33	1.04-1.67	0	0	0	-		59	180,71	149,64	1,22	0.93-1.57
Altre vie urinarie	11	6,75	6,04	1,99	0.99-3.57	8	4,91	4,09	2,21	0.95-4.36	9	27,57	23,05	2,48	1.13-4.7
Occhio	0	-	-	-		2	1,23	1,44	-		0	0	0	-	
Encefalo e altro SNC (maligni)	20	12,27	11,12	1,39	0.85-2.15	21	12,88	11,88	1,77	1.09-2.7	3	9,19	8,15	0,6	0.12-1.74
(c) Encefalo e altro SNC (non maligni)	13	7,98	7,99	1,1	0.58-1.88	2	1,23	0,99	1,46	0.18-5.27	13	39,82	40,2	1,23	0.66-2.11
Tiroide	9	5,52	4,87	0,68	0.31-1.29	0	0	0	-		7	19,99	18,55	0,58	0.25-1.27
Altre ghiandole endocrine	2	1,23	0,99	0,59	0.07-2.14	0	0	0	-		2	6,13	4,53	0,79	0.1-2.86
Linfoma di Hodgkin	7	4,29	3,95	1,1	0.44-2.28	3	1,84	1,54	2,02	0.42-5.91	4	12,25	12,07	0,72	0.19-1.84
Linfoma non Hodgkin	31	19,02	16,24	0,92	0.62-1.31	8	4,91	4,18	0,64	0.27-1.26	22	67,38	56,69	0,99	0.62-1.5
Mieloma	11	6,75	5,72	0,93	0.46-1.66	8	4,91	4,09	1,24	0.54-2.45	5	15,31	11,29	0,71	0.23-1.66
Leucemia linfatica acuta	4	2,45	2,85	1,3	0.35-3.32	1	0,61	0,6	0,61	0.01-3.39	3	9,19	11,34	1,6	0.33-4.66
Leucemia linfatica cronica	2	1,23	0,97	0,49	0.06-1.75	3	1,84	1,47	1,39	0.29-4.08	2	6,13	4,83	0,69	0.08-2.49
Leucemia mieloide acuta	2	1,23	0,98	0,34	0.04-1.22	3	1,84	1,48	1,22	0.25-3.56	0	0	0	-	
Leucemia mieloide cronica	1	0,61	0,49	0,43	0.01-2.4	1	0,61	0,45	0,81	0.01-4.52	1	3,06	2,2	0,59	0.01-3.29
Altre MMPC e SMD	16	9,82	8,48	1,16	0.66-1.88	1	0,61	0,49	0,65	0.01-3.6	12	36,75	29,38	1,21	0.62-2.11
Leucemie NAS	3	1,84	1,56	1,04	0.21-3.04	4	2,45	1,95	0,71	0.19-1.83	2	6,13	5,16	1,68	0.2-6.05
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	9	5,52	4,97	0,62	0.28-1.18	12	7,36	6,7	0,56	0.29-0.98	2	6,13	4,53	0,56	0.07-2.03
<b>Totale</b>	<b>1110</b>	<b>681,05</b>	<b>589,74</b>	<b>1,06</b>	<b>1-1.12</b>	<b>480</b>	<b>294,51</b>	<b>259,8</b>	<b>1,06</b>	<b>0.97-1.16</b>	<b>690</b>	<b>2113,99</b>	<b>1755,49</b>	<b>1,04</b>	<b>0.97-1.12</b>
<b>Totale escluso (a)</b>	<b>956</b>	<b>586,56</b>	<b>507,32</b>	<b>1,06</b>	<b>0.99-1.13</b>	<b>479</b>	<b>293,89</b>	<b>259</b>	<b>1,06</b>	<b>0.97-1.16</b>	<b>551</b>	<b>1688,25</b>	<b>1402,7</b>	<b>1,04</b>	<b>0.96-1.13</b>
<b>Totale escluso (a)(b)(c)</b>	<b>870</b>	<b>533,79</b>	<b>461,08</b>	<b>1,04</b>	<b>0.97-1.11</b>	<b>477</b>	<b>292,67</b>	<b>258</b>	<b>1,06</b>	<b>0.97-1.16</b>	<b>479</b>	<b>1467,72</b>	<b>1212,87</b>	<b>1,02</b>	<b>0.93-1.11</b>

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	1	0,57	0,44	0,99	0.01-5.52	0	0	0	-		1	2,86	2,09	1,1	0.01-6.12
Lingua	1	0,57	0,44	0,7	0.01-3.9	0	0	0	-		1	2,86	2,09	1,2	0.02-6.69
Bocca	2	1,15	0,86	0,68	0.08-2.46	0	0	0	-		1	2,86	2,63	0,58	0.01-3.23
Ghiandole salivari	0	-	-	-		0	0	0	-		0	0	0	-	
Orofaringe	1	0,57	0,58	3,81	0.05-21.2	0	0	0	-		1	2,86	2,79	5,97	0.08-33.21
Rinofaringe	1	0,57	0,58	1,11	0.01-6.2	1	0,57	0,58	3,21	0.04-17.88	0	0	0	-	
Ipopofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Faringe NAS	0	-	-	-		0	0	0	-		0	0	0	-	
Esofago	2	1,15	0,57	0,95	0.12-3.44	2	1,15	0,57	1,13	0.14-4.09	0	0	0	-	
Stomaco	21	12,05	9,18	0,9	0.55-1.37	9	5,16	3,44	0,56	0.25-1.06	11	31,48	24,78	1,23	0.61-2.19
Intestino tenue	5	2,87	2,12	2,04	0.66-4.75	5	2,87	2,21	2,64	0.85-6.16	2	5,72	4,77	1,63	0.2-5.9
Colon	40	22,95	18,23	0,76	0.55-1.04	22	12,62	9,13	0,93	0.58-1.41	30	85,85	66,32	0,86	0.58-1.22
Retto	32	18,36	14,3	1,19	0.82-1.69	7	4,02	2,44	1,19	0.48-2.46	24	67,85	53,27	1,24	0.8-1.87
Fegato	28	16,06	11,08	0,79	0.52-1.14	23	13,19	8,52	0,81	0.51-1.21	9	25,75	17,64	0,72	0.33-1.36
Vie biliari	12	6,88	4,81	1	0.51-1.74	8	4,59	3,18	0,91	0.39-1.8	1	2,86	2,11	0,47	0.01-2.59
Pancreas	26	14,92	11,23	1,42	0.93-2.08	19	10,9	7,53	1,18	0.71-1.85	6	17,17	15,03	2,42	0.88-5.27
Cavità nasale	1	0,57	0,58	1,13	0.01-6.3	0	0	0	-		1	2,86	3,03	1,44	0.02-8.03
Laringe	3	1,72	1,52	1,11	0.23-3.24	1	0,57	0,37	1,15	0.02-6.39	2	5,47	5,33	0,87	0.11-3.28
Polmone	41	23,52	18,35	1,09	0.78-1.48	38	21,8	17,18	1,27	0.9-1.74	9	25,75	19,95	0,73	0.33-1.38
Altri organi toracici	0	-	-	-		0	0	0	-		0	0	0	-	
Osso	0	-	-	-		6	3,44	2,61	4,27	1.56-9.29	0	0	0	-	
Pelle, melanomi	21	12,05	10,78	1,09	0.67-1.66	4	2,29	1,74	1,23	0.33-3.14	19	54,37	48,93	1,09	0.66-1.7
(a) Pelle, non melanomi	96	55,07	42,07	0,94	0.76-1.15	3	1,72	0,9	2,36	0.49-6.91	85	243,23	184,18	0,91	0.73-1.12
Mesotelioma	0	-	-	-		0	0	0	-		0	0	0	-	
Sarcoma di Kaposi	1	0,57	0,33	0,55	0.01-3.06	0	0	0	-		0	0	0	-	
Tessuti molli	5	2,87	2,44	1,66	0.54-3.89	1	0,57	0,54	1,1	0.01-6.1	3	8,58	6,48	1,57	0.32-4.59
Mammella	195	111,87	93,78	1	0.87-1.15	40	22,95	16,78	0,78	0.55-1.06	174	498,15	417,37	0,99	0.85-1.15
Utero, collo	16	9,18	8,01	1,49	0.85-2.41	0	0	0	-		14	40,06	34,62	1,69	0.92-2.84
Utero, corpo	48	27,54	22,46	1,23	0.91-1.63	8	4,59	3,11	2,73	1.18-5.38	33	94,43	79,36	1,03	0.71-1.45
Utero NAS	0	-	-	-		7	4,02	3,26	0,64	0.26-1.32	0	0	0	-	
Ovaio	19	10,9	8,56	0,82	0.5-1.29	9	5,16	3,86	0,94	0.43-1.78	13	37,2	29,21	0,98	0.52-1.67
Altri genitali femminili	11	6,31	4,15	1,65	0.82-2.96	5	2,87	1,71	1,43	0.46-3.35	8	22,89	15,02	1,81	0.78-3.56
Rene	17	9,75	7,68	1,45	0.85-2.32	0	0	0	-		13	37,2	28,07	1,45	0.77-2.47
Vescica (maligni)	6	3,44	2,47	0,47	0.17-1.03	8	4,59	3,07	1,31	0.56-2.58	4	11,45	9,29	0,5	0.13-1.27
(b) Vescica (non maligni)	17	9,75	8,13	1,39	0.81-2.23	1	0,57	0,33	5,31	0.07-29.55	15	42,92	34,8	1,34	0.75-2.21
Altre vie urinarie	0	-	-	-		5	2,87	2,59	3,09	1-7.22	0	0	0	-	
Occhio	2	1,15	1,38	1,33	0.16-4.82	0	0	0	-		2	5,72	7,05	1,58	0.19-5.7
Encefalo e altro SNC (maligni)	11	6,31	5,68	0,89	0.45-1.6	13	7,46	6,55	1,36	0.73-2.33	5	14,31	13,26	1,18	0.38-2.74
(c) Encefalo e altro SNC (non maligni)	29	16,64	15,97	1,27	0.85-1.83	1	0,57	0,25	0,45	0.01-2.51	25	71,54	68,91	1,21	0.78-1.79
Tiroide	28	16,06	15,38	0,76	0.51-1.1	1	0,57	0,33	0,72	0.01-4.01	26	75,02	73,47	0,74	0.48-1.07
Altre ghiandole endocrine	1	0,57	0,54	0,44	0.01-2.45	0	0	0	-		1	2,86	2,67	0,51	0.01-2.85
Linfoma di Hodgkin	3	1,72	1,47	0,52	0.11-1.52	0	0	0	-		1	2,86	2,09	0,19	0-1.05
Linfoma non Hodgkin	20	11,47	9,15	0,76	0.46-1.18	12	6,88	4,58	1,41	0.73-2.47	12	34,34	29,22	0,64	0.33-1.12
Mieloma	11	6,31	4,51	1,24	0.62-2.21	7	4,02	2,44	1,39	0.56-2.87	3	8,58	7,19	0,6	0.12-1.76
Leucemia linfatica acuta	3	1,72	2,39	1,66	0.34-4.86	1	0,57	0,75	1,27	0.02-7.07	2	5,72	9,52	1,54	0.19-5.54
Leucemia linfatica cronica	3	1,72	1,15	1,49	0.31-4.34	5	2,87	1,74	3,14	1.01-7.32	1	2,86	2,09	0,62	0.01-3.46
Leucemia mieloide acuta	9	5,16	4,21	1,67	0.76-3.17	8	4,59	2,94	3,29	1.42-6.48	4	11,45	11,71	1,84	0.5-4.71
Leucemia mieloide cronica	1	0,57	0,59	0,55	0.01-3.04	0	0	0	-		1	2,86	3,14	0,68	0.01-3.76
Altre MMPC e SMD	10	5,74	4,41	0,83	0.4-1.53	1	0,57	0,46	0,5	0.01-2.78	8	22,89	18,2	0,95	0.41-1.87
Leucemie NAS	3	1,72	1,46	1,33	0.27-3.88	5	2,87	1,97	1,01	0.32-2.35	1	2,86	2,67	2,19	0.03-12.18
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	20	11,47	8,45	1,08	0.66-1.67	16	9,18	6,61	0,81	0.46-1.32	10	28,62	23,54	2,75	1.32-5.06
<b>Totale</b>	<b>823</b>	<b>472,14</b>	<b>382,48</b>	<b>0,99</b>	<b>0.93-1.06</b>	<b>302</b>	<b>173,25</b>	<b>124,25</b>	<b>1,02</b>	<b>0.91-1.14</b>	<b>582</b>	<b>1665,2</b>	<b>1383,88</b>	<b>0,98</b>	<b>0.9-1.06</b>
<b>Totale escluso (a)</b>	<b>727</b>	<b>417,07</b>	<b>340,41</b>	<b>1</b>	<b>0.93-1.08</b>	<b>299</b>	<b>171,53</b>	<b>123,35</b>	<b>1,01</b>	<b>0.9-1.14</b>	<b>497</b>	<b>1421,97</b>	<b>1199,7</b>	<b>0,99</b>	<b>0.91-1.08</b>
<b>Totale escluso (a)(b)(c)</b>	<b>681</b>	<b>390,68</b>	<b>316,31</b>	<b>0,98</b>	<b>0.91-1.06</b>	<b>297</b>	<b>170,38</b>	<b>122,78</b>	<b>1,02</b>	<b>0.9-1.14</b>	<b>457</b>	<b>1307,5</b>	<b>1095,98</b>	<b>0,97</b>	<b>0.89-1.07</b>

