

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	1	0,63	0,42	0,47	0.01-2.6	0	0	0	-		1	3,17	2,16	0,54	0.01-3.02
Lingua	3	1,9	1,56	1,05	0.22-3.06	1	0,63	0,69	0,81	0.01-4.53	1	3,17	1,47	0,53	0.01-2.97
Bocca	4	2,53	2,29	1,34	0.36-3.44	2	1,27	1,18	1,95	0.24-7.04	1	3,17	2,53	0,6	0.01-3.36
Ghiandole salivari	3	1,9	1,78	1,72	0.35-5.02	1	0,63	0,49	1,58	0.02-8.82	1	3,17	2,97	0,9	0.01-5.02
Orofaringe	1	0,63	0,64	0,68	0.01-3.76	0	0	0	-		0	0	0	-	
Rinofaringe	2	1,27	1,1	0,97	0.12-3.5	0	0	0	-		1	3,17	2,37	0,78	0.01-4.33
Ipfaringe	1	0,63	0,62	0,95	0.01-5.3	1	0,63	0,64	5,12	0.07-28.48	0	0	0	-	
Faringe NAS	0	-	-	-		1	0,63	0,62	0,93	0.01-5.15	0	0	0	-	
Esofago	5	3,16	2,49	1,28	0.41-2.99	5	3,16	2,21	1,32	0.43-3.08	1	3,17	3,33	1,25	0.02-6.95
Stomaco	38	24,04	18,49	1,05	0.74-1.44	28	17,72	13,42	1,14	0.76-1.65	16	49,44	38,37	1,12	0.66-1.86
Intestino tenue	4	2,53	2,36	1,95	0.53-5.01	2	1,27	1,04	0,71	0.09-2.56	1	3,17	3,13	0,77	0.01-4.29
Colon	74	46,82	38,18	1,04	0.82-1.31	19	12,02	9,76	0,57	0.34-0.89	48	152,2	123,06	1,1	0.81-1.46
Retto	26	16,45	14,02	0,76	0.49-1.11	4	2,53	2,09	0,56	0.15-1.44	15	47,56	40,25	0,69	0.38-1.13
Fegato	70	44,29	34,86	1,01	0.78-1.27	55	34,8	26	0,97	0.73-1.26	24	77,61	63,71	1,01	0.63-1.47
Vie biliari	5	3,16	2,3	0,51	0.16-1.18	4	2,53	1,75	0,61	0.16-1.57	1	3,17	1,47	0,57	0.01-3.17
Pancreas	15	9,49	7,69	0,76	0.42-1.25	15	9,49	7,5	0,84	0.47-1.39	2	6,34	5,5	0,6	0.07-2.18
Cavità nasale	0	-	-	-		0	0	0	-		0	0	0	-	
Laringe	20	12,65	10,08	0,99	0.61-1.54	9	5,69	4,92	0,95	0.43-1.81	10	31,71	26,55	0,67	0.32-1.24
Polmone	188	118,95	94,73	1,16	1-1.33	174	110,1	85,4	1,2	1.02-1.39	39	123,66	99,86	1,05	0.75-1.43
Altri organi toracici	7	4,43	3,66	1,97	0.79-4.06	15	9,49	7,71	3,13	1.75-5.16	1	3,17	3,13	0,69	0.01-3.86
Osso	0	-	-	-		2	1,27	1,16	0,95	0.12-3.43	0	0	0	-	
Pelle, melanomi	32	20,25	17,97	1,89	1.29-2.67	6	3,8	3,37	1,55	0.56-3.36	25	79,09	71,68	1,78	1.15-2.63
(a) Pelle, non melanomi	201	127,18	101,91	1,33	1.16-1.53	4	2,53	1,8	2,53	0.68-6.48	182	578,51	453,66	1,38	1.18-1.59
Mesotelioma	23	14,55	11,45	3,75	2.38-5.63	5	3,16	2,52	6,39	2.06-14.92	4	12,68	10	2,32	0.63-5.95
Sarcoma di Kaposi	1	0,63	0,55	0,23	0-1.28	0	0	0	-		0	0	0	-	
Tessuti molli	9	5,69	5,07	2,07	0.95-3.94	2	1,27	1,05	0,97	0.12-3.51	8	25,37	23,11	3,16	1.36-6.22
Mammella	2	1,27	1,11	1,08	0.13-3.9	2	1,27	1,3	2,55	0.31-9.22	2	6,34	5,49	1,27	0.15-4.59
Pene	6	3,8	3,71	1,95	0.71-4.24	1	0,63	0,64	1,49	0.02-8.3	5	15,85	14,68	2,23	0.72-5.19
Prostata	128	80,99	63,81	0,91	0.76-1.08	44	27,84	19,15	1,03	0.75-1.39	98	310,59	243,9	0,87	0.7-1.06
Testicolo	10	6,33	6,34	0,95	0.45-1.74	0	0	0	-		10	31,71	31,87	0,99	0.47-1.82
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	25	15,82	12,83	1,34	0.87-1.98	14	8,86	6,78	3,2	1.75-5.38	19	60,24	48,51	1,43	0.86-2.23
Vescica (maligni)	80	50,62	39,44	1,21	0.96-1.5	36	22,78	17,01	1,05	0.73-1.45	56	176,8	138,41	1,3	0.98-1.69
(b) Vescica (non maligni)	32	20,25	16,26	0,54	0.37-0.76	0	0	0	-		24	76,1	61,04	0,48	0.31-0.71
Altre vie urinarie	3	1,9	1,39	0,49	0.1-1.42	3	1,9	1,39	0,71	0.15-2.06	1	3,17	2,53	0,24	0-1.36
Occhio	2	1,27	1,04	2,65	0.32-9.57	0	0	0	-		2	6,34	4,9	3,02	0.37-10.91
Encefalo e altro SNC (maligni)	15	9,49	8,86	1,03	0.58-1.71	13	8,23	7,67	1,04	0.55-1.78	7	22,2	21,6	1,54	0.62-3.18
(c) Encefalo e altro SNC (non maligni)	17	10,76	10,46	1,48	0.86-2.37	1	0,63	0,61	0,68	0.01-3.76	16	50,73	49,46	1,6	0.91-2.6
Tiroide	9	5,69	5,11	0,72	0.33-1.38	2	1,27	1,08	1,4	0.17-5.07	5	15,85	15,52	0,47	0.15-1.1
Altre ghiandole endocrine	6	3,8	3,92	1,98	0.72-4.31	0	0	0	-		5	15,85	17,78	2,24	0.72-5.22
Linfoma di Hodgkin	7	4,43	4,53	1,18	0.47-2.42	0	0	0	-		5	15,85	15,95	0,97	0.31-2.25
Linfoma non Hodgkin	32	20,25	16,54	0,95	0.65-1.34	12	7,59	6,59	0,94	0.48-1.64	17	53,9	48,76	0,78	0.45-1.25
Mieloma	13	8,23	6,32	1,08	0.57-1.84	9	5,69	3,91	1,26	0.57-2.38	4	12,68	10,4	0,58	0.16-1.49
Leucemia linfatica acuta	6	3,8	4,56	2,02	0.74-4.4	2	1,27	1,26	1,22	0.15-4.41	4	12,68	18,13	2,22	0.6-5.68
Leucemia linfatica cronica	4	2,53	2,24	0,98	0.26-2.51	2	1,27	1,09	0,78	0.09-2.82	3	9,51	8,39	1,12	0.23-3.28
Leucemia mieloide acuta	7	4,43	3,85	1,21	0.48-2.49	4	2,53	2	1,64	0.44-4.21	2	6,34	5,5	1,14	0.14-4.11
Leucemia mieloide cronica	3	1,9	1,96	1,36	0.28-3.97	1	0,63	0,56	0,74	0.01-4.12	3	9,51	9,66	1,98	0.41-5.79
Altre MMPC e SMD	11	6,96	5,49	0,75	0.38-1.35	1	0,63	0,42	0,52	0.01-2.87	6	19,02	15,61	0,59	0.21-1.28
Leucemie NAS	5	3,16	2,3	1,63	0.53-3.81	8	5,06	3,82	1,38	0.59-2.72	3	9,51	7,66	2,75	0.57-8.02
Miscellanea	4	2,53	2,09	17,15	4.61-43.9	0	0	0	-		3	9,51	8,32	55,55	11.44-162.29
Mal definite e metastasi	13	8,23	6,35	0,84	0.45-1.44	31	19,61	15,27	1,4	0.95-1.98	2	6,34	5,75	0,59	0.07-2.11
Totale	1173	742,2	604,74	1,08	1.02-1.15	541	342,31	265,87	1,1	1.01-1.19	684	2169,38	1788,12	1,05	0.97-1.13
Totale escluso (a)	972	615,02	502,83	1,04	0.98-1.11	537	339,78	264,07	1,09	1-1.19	502	1590,86	1334,46	0,97	0.88-1.05
Totale escluso (a)(b)(c)	923	584,02	476,11	1,07	1-1.14	536	339,15	263,46	1,09	1-1.19	462	1464,03	1223,96	1,01	0.92-1.1

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	2	1,17	0,92	1,7	0.21-6.15	0	0	0	-		2	5,82	4,43	2,01	0.24-7.27
Lingua	2	1,17	0,68	1,33	0.16-4.8	0	0	0	-		2	5,82	3,3	2,56	0.31-9.25
Bocca	2	1,17	0,57	0,6	0.07-2.17	3	1,75	0,72	2,15	0.44-6.28	0	0	0	-	
Ghiandole salivari	0	-	-	-		0	0	0	-		0	0	0	-	
Orofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Rinofaringe	1	0,58	0,3	1,14	0.01-6.36	0	0	0	-		0	0	0	-	
Ipopfaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Faringe NAS	1	0,58	0,57	6,67	0.09-37.14	0	0	0	-		1	2,91	2,8	7,29	0.1-40.59
Esofago	0	-	-	-		0	0	0	-		0	0	0	-	
Stomaco	22	12,84	8,36	0,83	0.52-1.26	14	8,17	4,76	0,74	0.41-1.25	9	26,18	18,69	0,96	0.44-1.82
Intestino tenue	0	-	-	-		1	0,58	0,38	0,4	0.01-2.25	0	0	0	-	
Colon	51	29,76	20,72	0,88	0.66-1.16	18	10,5	7,22	0,63	0.37-0.99	33	95,99	72,85	0,9	0.62-1.26
Retto	24	14,01	9,66	0,8	0.51-1.2	3	1,75	0,94	0,43	0.09-1.25	17	49,45	33,6	0,83	0.48-1.33
Fegato	46	26,84	15,02	1,15	0.84-1.53	35	20,42	11,13	1,05	0.73-1.46	14	40,47	24,26	1,06	0.58-1.79
Vie biliari	11	6,42	4,55	0,78	0.39-1.39	6	3,5	2,35	0,57	0.21-1.24	1	2,91	1,84	0,44	0.01-2.44
Pancreas	23	13,42	8,29	1,09	0.69-1.63	18	10,5	6,39	0,97	0.57-1.53	4	11,64	7,91	1,5	0.4-3.84
Cavità nasale	3	1,75	1,23	3,99	0.82-11.65	0	0	0	-		3	8,73	6,1	5,5	1.13-16.08
Laringe	2	1,17	1,18	0,69	0.08-2.48	1	0,58	0,59	1,06	0.01-5.89	1	2,91	2,85	0,43	0.01-2.4
Polmone	41	23,93	19,24	1,01	0.73-1.38	29	16,92	12,43	0,85	0.57-1.22	13	37,16	31,47	1,06	0.57-1.84
Altri organi toracici	4	2,33	1,66	2,02	0.54-5.16	1	0,58	0,38	0,75	0.01-4.15	1	2,91	2,92	0,85	0.01-4.75
Osso	4	2,33	2,17	2,69	0.72-6.9	5	2,92	2,01	3,17	1.02-7.39	2	5,82	7,16	2,16	0.26-7.79
Pelle, melanomi	27	15,76	14,37	1,45	0.96-2.11	3	1,75	1,21	0,81	0.17-2.37	27	78,54	71,28	1,66	1.1-2.42
(a) Pelle, non melanomi	163	95,12	63,19	1,5	1.28-1.74	1	0,58	0,23	0,56	0.01-3.1	149	434,43	291,19	1,55	1.31-1.81
Mesotelioma	1	0,58	0,19	0,61	0.01-3.4	1	0,58	0,19	3,67	0.05-20.42	0	0	0	-	
Sarcoma di Kaposi	2	1,17	0,68	0,97	0.12-3.5	0	0	0	-		2	5,82	3,3	1,2	0.14-4.32
Tessuti molli	1	0,58	0,94	0,3	0-1.67	0	0	0	-		1	2,91	5,08	0,49	0.01-2.72
Mammella	184	107,38	85,08	0,93	0.8-1.07	65	37,93	25,83	1,15	0.89-1.47	162	469,99	380,13	0,92	0.79-1.08
Utero, collo	7	4,08	3,87	0,63	0.25-1.29	0	0	0	-		6	17,45	16,81	0,71	0.26-1.54
Utero, corpo	38	22,18	18,97	0,94	0.66-1.28	1	0,58	0,3	0,27	0-1.5	31	89,07	76,01	0,95	0.66-1.37
Utero NAS	2	1,17	0,53	0,94	0.11-3.39	15	8,75	5,87	1,28	0.71-2.11	0	0	0	-	
Ovaio	21	12,25	9,57	0,89	0.55-1.36	10	5,84	4,45	0,95	0.45-1.74	13	37,81	29,35	1,01	0.54-1.73
Altri genitali femminili	8	4,67	3,02	1,02	0.44-2.01	3	1,75	1,17	0,69	0.14-2.02	7	20,36	12,12	1,42	0.57-2.92
Rene	14	8,17	6,44	1,13	0.62-1.9	4	2,33	1,09	1,54	0.41-3.93	10	29,09	25,43	1,09	0.52-2
Vescica (maligni)	15	8,75	5,71	1,06	0.59-1.75	4	2,33	1,32	0,5	0.13-1.28	10	29,09	20,37	1,2	0.57-2.2
(b) Vescica (non maligni)	8	4,67	3,75	0,59	0.25-1.16	0	0	0	-		8	23,27	18,34	0,67	0.29-1.31
Altre vie urinarie	1	0,58	0,57	0,67	0.01-3.75	0	0	0	-		1	2,91	2,8	1,06	0.01-5.91
Occhio	0	-	-	-		0	0	0	-		0	0	0	-	
Encefalo e altro SNC (maligni)	9	5,25	3,66	0,7	0.32-1.33	19	11,09	7,19	1,96	1.18-3.06	1	2,91	2,85	0,23	0-1.27
(c) Encefalo e altro SNC (non maligni)	19	11,09	9,41	0,8	0.48-1.25	2	1,17	1,03	0,77	0.09-2.79	16	45,44	40,36	0,74	0.43-1.23
Tiroide	47	27,43	27,11	1,4	1.03-1.86	1	0,58	0,49	0,6	0.01-3.32	46	133,8	133,7	1,43	1.04-1.9
Altre ghiandole endocrine	2	1,17	1,21	0,93	0.11-3.36	0	0	0	-		2	5,82	5,81	1,15	0.14-4.15
Linfoma di Hodgkin	9	5,25	4,9	1,77	0.81-3.35	0	0	0	-		8	23,27	23,83	1,72	0.74-3.39
Linfoma non Hodgkin	25	14,59	10,53	0,91	0.59-1.34	7	4,08	2,02	0,7	0.28-1.45	18	51,13	38,29	0,94	0.57-1.52
Mieloma	13	7,59	4,57	1,35	0.72-2.31	6	3,5	1,95	0,98	0.36-2.13	7	20,36	13,65	1,43	0.57-2.95
Leucemia linfatica acuta	1	0,58	0,38	0,53	0.01-2.95	2	1,17	1,03	2,54	0.31-9.16	0	0	0	-	
Leucemia linfatica cronica	1	0,58	0,19	0,43	0.01-2.42	4	2,33	1,24	1,94	0.52-4.98	1	2,91	0,94	0,62	0.01-3.47
Leucemia mieloide acuta	4	2,33	2,18	0,66	0.18-1.7	2	1,17	1,14	0,63	0.08-2.26	2	5,82	5,17	0,9	0.11-3.25
Leucemia mieloide cronica	4	2,33	1,7	2,42	0.65-6.19	0	0	0	-		3	8,73	7,39	2,31	0.48-6.76
Altre MMPC e SMD	11	6,42	4,71	0,85	0.43-1.53	2	1,17	0,72	0,83	0.1-3.01	8	23,27	19,03	0,93	0.4-1.84
Leucemie NAS	4	2,33	1,55	1,41	0.38-3.62	4	2,33	1,65	0,66	0.18-1.7	1	2,91	1,47	1,96	0.03-10.89
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	26	15,17	9,51	1,21	0.79-1.78	24	14,01	7,79	1,05	0.68-1.57	4	11,64	10,39	0,92	0.25-2.34
Totale	906	528,71	393,62	1,03	0.97-1.1	314	183,24	117,19	0,92	0.82-1.03	645	1877,42	1475,29	1,07	0.99-1.16
Totale escluso (a)	743	433,59	330,43	0,97	0.9-1.04	313	182,66	116,97	0,92	0.82-1.03	496	1442,99	1184,1	0,98	0.9-1.07
Totale escluso (a)(b)(c)	716	417,83	317,27	0,98	0.91-1.05	311	181,49	115,93	0,92	0.82-1.03	472	1374,28	1125,4	1	0.91-1.1

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	3	0,91	0,68	0,9	0.18-2.62	0	0	0	-		3	4,55	3,31	1,04	0.21-3.05
Lingua	5	1,52	1,09	1,14	0.37-2.65	1	0,3	0,33	0,48	0.01-2.69	3	4,55	2,48	1,12	0.23-3.27
Bocca	6	1,82	1,38	0,95	0.35-2.07	5	1,52	0,99	2,07	0.67-4.84	1	1,52	1,19	0,28	0-1.56
Ghiandole salivari	3	0,91	0,86	0,89	0.18-2.59	1	0,3	0,21	0,94	0.01-5.25	1	1,52	1,44	0,47	0.01-2.64
Orofaringe	1	0,3	0,31	0,55	0.01-3.08	0	0	0	-		0	0	0	-	
Rinofaringe	3	0,91	0,68	1,02	0.21-2.97	0	0	0	-		1	1,52	1,03	0,51	0.01-2.82
Ipopofaringe	1	0,3	0,3	0,84	0.01-4.69	1	0,3	0,31	5,08	0.07-28.28	0	0	0	-	
Faringe NAS	1	0,3	0,3	2,21	0.03-12.31	1	0,3	0,3	0,77	0.01-4.26	1	1,52	1,44	3,93	0.05-21.89
Esofago	5	1,52	1,1	0,78	0.25-1.82	5	1,52	0,97	0,83	0.27-1.94	1	1,52	1,57	0,74	0.01-4.13
Stomaco	60	18,21	12,75	0,95	0.72-1.22	42	12,75	8,15	0,96	0.69-1.3	25	37,31	27,32	1,04	0.69-1.57
Intestino tenue	4	1,21	1,02	0,78	0.21-2.01	3	0,91	0,68	0,56	0.12-1.65	1	1,52	1,49	0,38	0-2.11
Colon	125	37,95	28,55	0,97	0.8-1.15	37	11,23	8,38	0,59	0.42-0.82	81	122,88	95,33	1	0.8-1.25
Retto	50	15,18	11,62	0,78	0.58-1.02	7	2,13	1,54	0,49	0.2-1.02	32	48,55	37,1	0,75	0.52-1.06
Fegato	116	35,22	24,14	1,05	0.87-1.26	90	27,32	17,75	0,99	0.8-1.22	38	58,24	42,67	1,02	0.71-1.38
Vie biliari	16	4,86	3,41	0,66	0.38-1.08	10	3,04	2,06	0,59	0.28-1.08	2	3,03	1,61	0,5	0.06-1.79
Pancreas	38	11,54	7,98	0,92	0.65-1.27	33	10,02	6,84	0,9	0.62-1.27	6	9,1	6,88	1	0.36-2.17
Cavità nasale	3	0,91	0,66	1,38	0.28-4.03	0	0	0	-		3	4,55	3,24	2,32	0.48-6.79
Laringe	22	6,68	5,13	0,94	0.59-1.42	10	3,04	2,49	0,95	0.45-1.74	11	16,69	13,8	0,63	0.32-1.13
Polmone	229	69,52	51,65	1,11	0.97-1.26	203	61,63	43,3	1,11	0.97-1.28	52	78,55	62,17	1,04	0.78-1.36
Altri organi toracici	11	3,34	2,49	1,97	0.98-3.53	16	4,86	3,65	2,58	1.47-4.19	2	3,03	3	0,76	0.09-2.75
Osso	4	1,21	1,11	0,97	0.26-2.49	7	2,13	1,69	1,89	0.76-3.89	2	3,03	3,5	0,7	0.09-2.54
Pelle, melanomi	59	17,91	15,96	1,66	1.26-2.14	9	2,73	2,23	1,18	0.54-2.25	52	78,8	71,27	1,71	1.28-2.25
(a) Pelle, non melanomi	364	110,5	79,22	1,39	1.25-1.54	5	1,52	0,87	1,48	0.48-3.44	332	503,37	360,31	1,44	1.29-1.6
Mesotelioma	24	7,29	5,32	3,05	1.95-4.54	6	1,82	1,26	5,62	2.05-12.23	4	6,07	4,51	1,61	0.43-4.11
Sarcoma di Kaposi	3	0,91	0,55	0,47	0.1-1.36	0	0	0	-		2	3,03	1,91	0,39	0.05-1.42
Tessuti molli	10	3,04	2,84	1,3	0.62-2.39	2	0,61	0,51	0,63	0.08-2.29	9	13,65	13,39	1,96	0.89-3.72
Mammella	186	56,47	46,35	0,94	0.81-1.09	67	20,34	15,05	1,19	0.92-1.51	164	248,16	206,05	0,94	0.8-1.1
Utero, collo	7	2,13	2,04	0,63	0.25-1.31	0	0	0	-		6	9,1	8,83	0,71	0.26-1.56
Utero, corpo	38	11,54	10,04	0,95	0.67-1.3	1	0,3	0,17	0,27	0-1.52	31	46,45	40,28	0,97	0.67-1.39
Utero NAS	2	0,61	0,33	0,95	0.11-3.42	15	4,55	3,27	1,29	0.72-2.13	0	0	0	-	
Ovaio	21	6,38	5,18	0,9	0.56-1.38	10	3,04	2,42	0,96	0.46-1.77	13	19,72	15,76	1,03	0.55-1.75
Altri genitali femminili	8	2,43	1,69	1,03	0.45-2.04	3	0,91	0,64	0,7	0.14-2.05	7	10,62	6,9	1,44	0.58-2.97
Pene	6	1,82	1,73	1,9	0.69-4.14	1	0,3	0,31	1,45	0.02-8.08	5	7,59	6,85	2,18	0.7-5.08
Prostata	128	38,86	28,18	0,89	0.74-1.06	44	13,36	7,25	1,02	0.74-1.36	98	148,6	110,7	0,84	0.68-1.03
Testicolo	10	3,04	3,13	0,95	0.45-1.75	0	0	0	-		10	15,17	15,67	0,99	0.47-1.81
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	39	11,84	9,31	1,25	0.89-1.71	18	5,46	3,54	2,56	1.52-4.05	29	43,99	35,56	1,28	0.86-1.84
Vescica (maligni)	95	28,84	19,94	1,16	0.94-1.42	40	12,14	7,35	0,93	0.67-1.27	66	99,76	72,1	1,26	0.98-1.61
(b) Vescica (non maligni)	40	12,14	9,25	0,54	0.39-0.74	0	0	0	-		32	48,55	37,71	0,51	0.35-0.72
Altre vie urinarie	4	1,21	0,9	0,52	0.14-1.32	3	0,91	0,6	0,45	0.09-1.32	2	3,03	2,63	0,39	0.05-1.41
Occhio	2	0,61	0,46	0,84	0.1-3.02	0	0	0	-		2	3,03	2,23	1	0.12-3.61
Encefalo e altro SNC (maligni)	24	7,29	6,23	0,87	0.56-1.3	32	9,71	7,62	1,43	0.98-2.02	8	12,14	11,79	0,9	0.39-1.77
(c) Encefalo e altro SNC (non maligni)	36	10,93	10,09	1,03	0.72-1.42	3	0,91	0,84	0,74	0.15-2.16	32	47,97	45,26	1,02	0.71-1.46
Tiroide	56	17	16,4	1,22	0.92-1.59	3	0,91	0,76	0,97	0.2-2.82	51	77,37	76,61	1,19	0.89-1.57
Altre ghiandole endocrine	8	2,43	2,52	1,54	0.66-3.03	0	0	0	-		7	10,62	11,81	1,75	0.7-3.6
Linfoma di Hodgkin	16	4,86	4,7	1,45	0.83-2.35	0	0	0	-		13	19,72	19,84	1,32	0.7-2.26
Linfoma non Hodgkin	57	17,3	13,18	0,93	0.7-1.2	19	5,77	4,12	0,83	0.5-1.3	35	52,46	43,4	0,85	0.6-1.2
Mieloma	26	7,89	5,13	1,19	0.78-1.75	15	4,55	2,54	1,12	0.63-1.85	11	16,69	12,28	0,93	0.46-1.67
Leucemia linfatica acuta	7	2,13	2,49	1,44	0.58-2.97	4	1,21	1,17	1,64	0.44-4.21	4	6,07	9,19	1,27	0.34-3.25
Leucemia linfatica cronica	5	1,52	1,18	0,78	0.25-1.81	6	1,82	1,25	1,29	0.47-2.82	4	6,07	4,56	0,93	0.25-2.38
Leucemia mieloide acuta	11	3,34	2,92	0,93	0.46-1.66	6	1,82	1,48	1,07	0.39-2.32	4	6,07	5,25	1	0.27-2.57
Leucemia mieloide cronica	7	2,13	1,88	1,81	0.72-3.72	1	0,3	0,25	0,38	0-2.11	6	9,1	8,62	2,12	0.78-4.62
Altre MMPC e SMD	22	6,68	5,1	0,8	0.5-1.21	3	0,91	0,59	0,69	0.14-2.01	14	21,24	17,26	0,74	0.41-1.25
Leucemie NAS	9	2,73	1,89	1,52	0.7-2.89	12	3,64	2,49	1,01	0.52-1.77	4	6,07	4,39	2,47	0.66-6.32
Miscellanea	4	1,21	0,97	7,99	2.15-20.46	0	0	0	-		3	4,55	3,94	12,78	2.63-37.34
Mal definite e metastasi	39	11,84	8,15	1,06	0.75-1.44	55	16,7	10,76	1,22	0.92-1.59	6	9,1	8,07	0,77	0.28-1.67
Totale	2079	631,14	482,46	1,05	1.01-1.1	855	259,56	178,99	1,02	0.95-1.09	1330	2017,11	1605,47	1,06	1-1.12
Totale escluso (a)	1715	520,64	403,23	1	0.96-1.05	850	258,04	178,13	1,01	0.95-1.09	998	1513,74	1245,16	0,97	0.91-1.03
Totale escluso (a)(b)(c)	1639	497,57	383,88	1,02	0.97-1.07	847	257,13	177,28	1,02	0.95-1.09	934	1417,22	1162,2	1	0.94-1.07