

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro															
Lingua	4	3,04	2,08	1,62	0.43-4.14	2	1,52	1,07	2,01	0.24-7.26	2	7,77	4,98	1,24	0.15-4.48
Bocca	3	2,28	1,5	1,1	0.23-3.21	2	1,52	1,3	2,37	0.29-8.55	2	7,77	4,83	1,41	0.17-5.09
Ghiandole salivari	1	0,76	0,42	0,62	0.01-3.44	0	0	0	-		1	3,88	1,91	1,06	0.01-5.88
Orofaringe	4	3,04	3,14	3,43	0.92-8.78	2	1,52	0,92	3,98	0.48-14.38	2	7,77	7,99	4,76	0.58-17.2
Rinofaringe	1	0,76	0,5	0,55	0.01-3.06	1	0,76	0,49	1,63	0.02-9.08	0	0	0	-	
Ipfaringe	1	0,76	0,51	1,2	0.02-6.66	0	0	0	-		0	0	0	-	
Faringe NAS	0	-	-	-		0	0	0	-		0	0	0	-	
Esofago	4	3,04	2,91	1,19	0.32-3.04	3	2,28	2,13	0,89	0.18-2.6	1	3,88	4,28	1,43	0.02-7.93
Stomaco	39	29,67	23,18	1,22	0.87-1.67	23	17,5	12,74	1,07	0.68-1.61	22	84,32	62,7	1,77	1.12-2.71
Intestino tenue	4	3,04	2,32	2,27	0.61-5.81	1	0,76	0,5	0,4	0.01-2.24	1	3,88	3,62	0,9	0.01-4.99
Colon	62	47,17	33,37	0,98	0.75-1.25	37	28,15	20,5	1,34	0.95-1.85	47	182,13	119,2	1,2	0.88-1.6
Retto	33	25,11	18,69	1,09	0.75-1.54	11	8,37	6,38	1,91	0.95-3.42	14	56,12	39,41	0,73	0.39-1.19
Fegato	44	33,48	25,46	0,69	0.5-0.92	39	29,67	21,94	0,77	0.55-1.05	23	88,2	65,28	1,01	0.65-1.53
Vie biliari	8	6,09	4,16	0,92	0.39-1.81	4	3,04	2,62	0,69	0.19-1.78	2	7,77	4,55	1,29	0.16-4.66
Pancreas	26	19,78	14,07	1,54	1.01-2.26	23	17,5	12,37	1,5	0.95-2.25	3	11,65	7,55	1,04	0.22-3.05
Cavità nasale	1	0,76	0,42	0,87	0.01-4.83	1	0,76	0,68	3,78	0.05-21.02	0	0	0	-	
Laringe	10	7,61	5,94	0,53	0.25-0.98	7	5,33	4,07	0,84	0.34-1.73	8	31,06	24,72	0,6	0.26-1.18
Polmone	152	115,65	85,74	1,03	0.87-1.21	134	101,95	74,24	1,03	0.86-1.22	37	143,85	98,24	1,08	0.76-1.48
Altri organi toracici	3	2,28	1,7	0,92	0.19-2.68	4	3,04	2,32	0,84	0.23-2.14	0	0	0	-	
Osso	3	2,28	2,76	1,49	0.31-4.36	1	0,76	0,51	0,54	0.01-3.01	2	6,19	7,49	1,13	0.17-5.1
Pelle, melanomi	23	17,5	14,43	1,49	0.95-2.24	7	5,33	4,06	2,18	0.87-4.5	22	85,42	71,04	1,8	1.13-2.72
(a) Pelle, non melanomi	167	127,06	92,15	1,24	1.06-1.45	1	0,76	0,5	0,69	0.01-3.81	147	569,33	395,06	1,22	1.03-1.44
Mesotelioma	3	2,28	1,69	0,45	0.09-1.3	0	0	0	-		0	0	0	-	
Sarcoma di Kaposi	3	2,28	2,11	0,82	0.17-2.4	1	0,76	0,42	3,45	0.05-19.22	3	11,65	10,91	1,09	0.22-3.18
Tessuti molli	7	5,33	4,52	1,82	0.73-3.74	2	1,52	1,67	1,15	0.14-4.14	4	15,53	12,05	1,7	0.46-4.35
Mammella	1	0,76	0,42	0,6	0.01-3.32	0	0	0	-		1	3,88	1,91	0,69	0.01-3.85
Pene	2	1,52	0,92	0,67	0.08-2.4	0	0	0	-		1	3,88	1,91	0,45	0.01-2.5
Prostata	157	119,45	86,94	1,24	1.05-1.45	35	26,63	18,56	1,01	0.7-1.4	138	534,36	373,49	1,32	1.11-1.57
Testicolo	13	9,89	10,47	1,52	0.81-2.59	0	0	0	-		12	48,36	52,27	1,57	0.78-2.64
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	24	18,26	15,37	1,42	0.91-2.12	6	4,57	3,11	1,46	0.53-3.17	19	73,77	61,33	1,6	0.96-2.49
Vescica (maligni)	64	48,69	37,11	1,07	0.82-1.37	21	15,98	11,08	0,71	0.44-1.09	42	163,07	121,26	1,05	0.76-1.42
(b) Vescica (non maligni)	55	41,85	31,91	1,07	0.81-1.4	1	0,76	0,77	3,96	0.05-22.05	48	186,36	139,59	1,1	0.81-1.46
Altre vie urinarie	6	4,57	3,26	1,13	0.41-2.46	0	0	0	-		4	15,53	9,38	1,16	0.31-2.96
Occhio	3	2,28	2,14	4,66	0.96-13.62	0	0	0	-		3	11,65	10,98	4,94	1.02-14.44
Encefalo e altro SNC (maligni)	16	12,17	9,33	1,25	0.71-2.03	19	14,46	10,31	1,75	1.05-2.73	4	15,53	14,37	1,01	0.27-2.58
(c) Encefalo e altro SNC (non maligni)	8	6,09	4,47	0,79	0.34-1.56	2	1,52	1,07	1,66	0.2-5.99	6	23,3	17,18	0,68	0.25-1.48
Tiroide	8	6,09	5,53	0,74	0.32-1.47	1	0,76	0,5	0,76	0.01-4.23	7	27,18	26,25	0,81	0.32-1.66
Altre ghiandole endocrine	1	0,76	0,75	0,34	0-1.92	0	0	0	-		1	3,88	3,62	0,48	0.01-2.66
Linfoma di Hodgkin	4	3,04	3,15	0,79	0.21-2.03	0	0	0	-		3	11,65	12,26	0,73	0.15-2.12
Linfoma non Hodgkin	37	28,15	24,08	1,26	0.89-1.73	14	10,65	8,29	1,25	0.68-2.1	23	88,88	80,67	1,22	0.77-1.84
Mieloma	12	9,13	6,5	1,1	0.57-1.93	5	3,8	2,4	0,79	0.26-1.85	8	31,06	22,2	1,32	0.57-2.61
Leucemia linfatica acuta	2	1,52	1,47	0,8	0.1-2.89	0	0	0	-		1	3,88	4,98	0,66	0.01-3.68
Leucemia linfatica cronica	2	1,52	1,3	0,52	0.06-1.89	0	0	0	-		2	7,77	6,68	0,79	0.1-2.87
Leucemia mieloide acuta	4	3,04	1,97	0,78	0.21-1.99	3	2,28	1,48	1,34	0.28-3.93	1	3,88	2,34	0,67	0.01-3.71
Leucemia mieloide cronica	2	1,52	1,28	1,01	0.12-3.66	2	1,52	1,26	1,87	0.23-6.74	0	0	0	-	
Altre MMPC e SMD	19	14,46	11,84	1,54	0.93-2.4	0	0	0	-		15	58,24	47,23	1,79	1-2.95
Leucemie NAS	3	2,28	1,7	1,12	0.23-3.27	4	3,04	1,99	0,77	0.21-1.97	1	3,88	4,19	0,94	0.01-5.23
Miscellanea	0	-	-	-		1	0,76	0,56	8,95	0.12-49.77	0	0	0	-	
Mal definite e metastasi	17	12,93	9,41	1,29	0.75-2.07	18	13,7	10,56	0,9	0.54-1.43	4	15,53	9,23	1,36	0.37-3.47
Totale	1068	812,59	616,15	1,1	1.04-1.17	438	333,25	243,38	1,01	0.92-1.11	688	2671,44	1974,47	1,18	1.09-1.27
Totale escluso (a)	901	685,53	524,01	1,08	1.01-1.15	437	332,49	242,87	1,01	0.92-1.11	541	2102,11	1579,41	1,16	1.07-1.26
Totale escluso (a)(b)(c)	838	637,59	487,63	1,08	1.01-1.16	434	330,21	241,04	1,01	0.92-1.11	487	1892,45	1422,63	1,18	1.08-1.29

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Lingua	2	1,39	0,81	1,5	0.18-5.41	1	0,69	0,36	1,6	0.02-8.92	1	3,51	2,49	1,29	0.02-7.18
Bocca	4	2,77	1,29	1,46	0.39-3.74	2	1,39	0,67	1,68	0.2-6.07	2	7,03	2,93	1,26	0.15-4.56
Ghiandole salivari	1	0,69	0,41	0,75	0.01-4.17	0	0	0	-	-	1	3,51	1,92	1,28	0.02-7.12
Orofaringe	1	0,69	0,69	4,97	0.06-27.65	0	0	0	-	-	1	3,51	3,27	8,04	0.11-44.75
Rinofaringe	1	0,69	0,89	1,26	0.02-7.03	0	0	0	-	-	1	3,51	4,47	1,84	0.02-10.24
Ipopfaringe	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Faringe NAS	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Esofago	4	2,77	1,77	2,09	0.56-5.36	2	1,39	0,75	1,14	0.14-4.13	1	3,51	3,46	2,41	0.03-13.41
Stomaco	16	11,1	6,68	0,7	0.4-1.13	10	6,94	3,61	0,63	0.3-1.16	5	17,57	13,13	0,58	0.19-1.34
Intestino tenue	3	2,08	1,25	1,23	0.25-3.6	1	0,69	0,41	0,48	0.01-2.65	3	10,54	6,2	2,83	0.58-8.26
Colon	56	38,85	24,45	1,12	0.85-1.45	17	11,79	6,3	0,72	0.42-1.15	37	130,22	83,33	1,13	0.79-1.55
Retto	21	14,57	10,06	0,79	0.49-1.21	3	2,08	1,49	0,5	0.1-1.47	16	56,23	38,2	0,87	0.49-1.41
Fegato	29	20,12	11,47	0,8	0.54-1.15	22	15,26	8,65	0,76	0.48-1.15	11	38,66	21,76	0,88	0.44-1.57
Vie biliari	8	5,55	3,59	0,65	0.28-1.28	4	2,77	2,39	0,45	0.12-1.14	4	14,06	8,83	2,05	0.55-5.24
Pancreas	20	13,87	7,49	1,09	0.67-1.68	15	10,41	5,8	0,94	0.52-1.55	2	7,03	4,49	0,77	0.09-2.79
Cavità nasale	1	0,69	0,46	1,24	0.02-6.89	0	0	0	-	-	0	0	0	-	-
Laringe	1	0,69	0,46	0,39	0.01-2.19	0	0	0	-	-	1	3,51	2,49	0,51	0.01-2.83
Polmone	59	40,93	27,56	1,71	1.3-2.2	44	30,52	18,75	1,54	1.12-2.07	23	80,83	60,8	2,24	1.42-3.37
Altri organi toracici	4	2,77	2,08	2,31	0.62-5.9	0	0	0	-	-	2	7,03	5,76	1,98	0.24-7.14
Osso	1	0,69	0,46	0,75	0.01-4.16	1	0,69	0,66	0,64	0.01-3.55	0	0	0	-	-
Pelle, melanomi	29	20,12	17,52	1,77	1.18-2.54	6	4,16	2,52	2,06	0.75-4.47	25	86,68	80,4	1,71	1.12-2.56
(a) Pelle, non melanomi	112	77,7	52,67	1,15	0.95-1.39	4	2,77	1,24	3,4	0.92-8.72	102	357,29	243,62	1,16	0.95-1.41
Mesotelioma	1	0,69	0,36	0,67	0.01-3.72	0	0	0	-	-	1	3,51	1,72	1,64	0.02-9.13
Sarcoma di Kaposi	1	0,69	0,26	0,54	0.01-3.03	0	0	0	-	-	0	0	0	-	-
Tessuti molli	3	2,08	1,99	1,08	0.22-3.15	1	0,69	0,66	1,19	0.02-6.61	2	7,03	7,74	1,18	0.14-4.26
Mammella	198	137,36	106,91	1,13	0.98-1.3	49	33,99	20,21	1	0.74-1.33	178	625,57	487,27	1,16	0.99-1.34
Utero, collo	11	7,63	6,59	1,15	0.57-2.05	0	0	0	-	-	10	35,14	30,83	1,41	0.68-2.6
Utero, corpo	38	26,36	19,55	1,03	0.73-1.41	1	0,69	0,41	0,3	0-1.68	35	123,01	90,39	1,22	0.85-1.7
Utero NAS	3	2,08	1,07	1,86	0.38-5.42	18	12,49	9,87	1,81	1.07-2.85	1	3,51	2	2,11	0.03-11.72
Ovaio	24	16,65	13,55	1,15	0.74-1.72	12	8,32	5,98	1,33	0.69-2.32	13	44,68	40,02	1,12	0.61-1.96
Altri genitali femminili	8	5,55	3,97	1,2	0.52-2.37	2	1,39	1,09	0,54	0.07-1.96	3	10,54	8,18	0,67	0.14-1.95
Rene	12	8,32	6,29	1,08	0.56-1.88	3	2,08	1,03	1,34	0.28-3.92	9	31,63	26,66	1,08	0.49-2.05
Vescica (maligni)	17	11,79	7,22	1,44	0.84-2.31	9	6,24	2,9	1,47	0.67-2.8	11	37,7	25,97	1,47	0.75-2.7
(b) Vescica (non maligni)	8	5,55	3,54	0,67	0.29-1.32	0	0	0	-	-	7	24,6	15,78	0,66	0.26-1.35
Altre vie urinarie	1	0,69	0,41	0,76	0.01-4.24	1	0,69	0,26	0,54	0.01-3	1	3,51	1,92	1,27	0.02-7.05
Occhio	1	0,69	0,74	0,73	0.01-4.09	0	0	0	-	-	1	3,51	4,05	0,9	0.01-5.02
Encefalo e altro SNC (maligni)	15	10,41	8,09	1,37	0.77-2.27	9	6,24	4,19	0,98	0.45-1.87	5	17,57	19,8	1,45	0.47-3.39
(c) Encefalo e altro SNC (non maligni)	19	13,18	12,03	0,91	0.55-1.42	3	2,08	1,56	1,45	0.3-4.24	17	59,75	54,88	0,93	0.54-1.49
Tiroide	30	20,81	18,51	1	0.68-1.43	1	0,69	0,31	0,71	0.01-3.95	30	105,43	94,64	1,07	0.72-1.53
Altre ghiandole endocrine	5	3,47	4,51	3,05	0.98-7.11	1	0,69	0,69	3,08	0.04-17.12	5	17,57	23,81	3,85	1.24-8.99
Linfoma di Hodgkin	3	2,08	2,51	0,67	0.14-1.95	0	0	0	-	-	3	10,54	12,72	0,76	0.16-2.23
Linfoma non Hodgkin	23	15,96	12,17	0,94	0.6-1.42	7	4,86	3,56	0,8	0.32-1.66	17	58,56	46,62	1	0.59-1.63
Mieloma	4	2,77	1,64	0,44	0.12-1.13	7	4,86	2,45	1,37	0.55-2.83	2	7,03	3,72	0,43	0.05-1.55
Leucemia linfatica acuta	0	-	-	-	-	0	0	0	-	-	0	0	0	-	-
Leucemia linfatica cronica	1	0,69	0,66	0,49	0.01-2.7	0	0	0	-	-	1	2,33	2,29	0,44	0.01-3.66
Leucemia mieloide acuta	6	4,16	2,33	1,2	0.44-2.62	2	1,39	0,7	0,76	0.09-2.76	4	14,06	7,92	2,3	0.62-5.88
Leucemia mieloide cronica	2	1,39	0,81	1,26	0.15-4.56	1	0,69	0,31	1,05	0.01-5.82	2	7,03	4,2	1,66	0.2-5.99
Altre MMPC e SMD	11	7,63	4,78	0,96	0.48-1.72	1	0,69	0,36	0,51	0.01-2.84	4	14,06	9,46	0,5	0.13-1.28
Leucemie NAS	2	1,39	0,62	0,86	0.1-3.09	6	4,16	2,34	1,25	0.46-2.72	0	0	0	-	-
Miscellanea	1	0,69	0,98	6,44	0.08-35.82	0	0	0	-	-	1	3,51	5,13	10,93	0.14-60.79
Mal definite e metastasi	19	13,18	7,82	1,04	0.62-1.62	25	17,34	9,69	1,32	0.85-1.95	5	17,57	13	1,38	0.44-3.21
Totale	840	582,74	421,99	1,09	1.02-1.16	291	201,88	122,19	1	0.89-1.12	604	2123,23	1628,26	1,13	1.05-1.23
Totale escluso (a)	728	505,04	369,32	1,08	1-1.16	287	199,1	120,94	0,99	0.88-1.11	502	1765,94	1384,64	1,13	1.03-1.23
Totale escluso (a)(b)(c)	701	486,31	353,75	1,09	1.01-1.18	284	197,02	119,38	0,99	0.88-1.11	478	1681,59	1313,98	1,15	1.05-1.26



Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	2	0,73	0,48	0,68	0.08-2.44	0	0	0	-		2	3,69	2,41	0,76	0.09-2.75
Lingua	6	2,18	1,36	1,57	0.57-3.41	3	1,09	0,69	1,83	0.38-5.36	3	5,53	3,41	1,25	0.26-3.64
Bocca	7	2,54	1,42	1,27	0.51-2.61	4	1,45	0,95	1,95	0.52-4.99	4	7,38	3,85	1,32	0.36-3.38
Ghiandole salivari	2	0,73	0,39	0,68	0.08-2.44	0	0	0	-		2	3,69	1,77	1,15	0.14-4.15
Orofaringe	5	1,81	1,85	3,58	1.15-8.34	2	0,73	0,39	2,52	0.3-9.09	3	5,53	5,54	5,46	1.13-15.97
Rinofaringe	2	0,73	0,66	0,75	0.09-2.72	1	0,36	0,23	1,03	0.01-5.73	1	1,84	2,19	0,59	0.01-3.26
Ipfaringe	1	0,36	0,21	1,03	0.01-5.7	0	0	0	-		0	0	0	-	
Faringe NAS	0	-	-	-		0	0	0	-		0	0	0	-	
Esofago	8	2,9	2,2	1,5	0.65-2.95	5	1,81	1,45	0,96	0.31-2.24	2	3,69	3,93	1,76	0.21-6.37
Stomaco	55	19,96	14,02	1	0.75-1.3	33	11,97	7,54	0,88	0.61-1.23	27	49,28	35,19	1,27	0.84-1.86
Intestino tenue	7	2,54	1,76	1,67	0.67-3.44	2	0,73	0,45	0,43	0.05-1.57	4	7,38	5,19	1,83	0.49-4.69
Colon	118	42,82	28,61	1,03	0.86-1.24	54	19,6	12,47	1,05	0.79-1.37	84	154,88	99,97	1,16	0.92-1.44
Retto	54	19,6	13,83	0,95	0.71-1.24	14	5,08	3,35	1,19	0.65-2	30	56,18	38,46	0,79	0.53-1.11
Fegato	73	26,49	17,82	0,72	0.56-0.9	61	22,14	14,47	0,76	0.58-0.97	34	62,2	41,57	0,95	0.66-1.34
Vie biliari	16	5,81	3,68	0,76	0.43-1.23	8	2,9	2,21	0,54	0.23-1.07	6	11,07	6,99	1,71	0.63-3.73
Pancreas	46	16,69	10,62	1,3	0.95-1.73	38	13,79	8,9	1,21	0.85-1.65	5	9,22	5,28	0,91	0.29-2.13
Cavità nasale	2	0,73	0,41	1,01	0.12-3.65	1	0,36	0,32	2,47	0.03-13.74	0	0	0	-	
Laringe	11	3,99	2,9	0,5	0.25-0.9	7	2,54	1,82	0,74	0.3-1.53	9	16,6	12,53	0,57	0.26-1.08
Polmone	211	76,57	52,1	1,14	0.99-1.31	178	64,59	41,8	1,1	0.95-1.28	60	110,77	77,28	1,32	1.01-1.7
Altri organi toracici	7	2,54	1,78	1,39	0.56-2.87	4	1,45	0,93	0,66	0.18-1.69	2	3,69	3,06	0,85	0.1-3.07
Osso	4	1,45	1,66	1,19	0.32-3.04	2	0,73	0,57	0,58	0.07-2.11	2	2,94	3,82	0,71	0.11-3.2
Pelle, melanomi	52	18,87	15,63	1,63	1.22-2.14	13	4,72	3,25	2,11	1.12-3.6	47	86,08	73,74	1,75	1.29-2.34
(a) Pelle, non melanomi	279	101,24	69,57	1,2	1.06-1.34	5	1,81	0,99	1,88	0.61-4.4	248	458,03	308,78	1,19	1.04-1.34
Mesotelioma	4	1,45	0,97	0,47	0.13-1.21	0	0	0	-		1	1,84	1,02	0,42	0.01-2.32
Sarcoma di Kaposi	4	1,45	1,13	0,72	0.19-1.83	1	0,36	0,16	2,19	0.03-12.21	3	5,53	4,99	0,67	0.14-1.97
Tessuti molli	10	3,63	3	1,5	0.72-2.76	3	1,09	1,15	1,15	0.24-3.36	6	11,07	9,01	1,48	0.54-3.21
Mammella	199	72,21	57,78	1,15	1-1.32	49	17,78	11,79	1,01	0.75-1.33	179	330,2	262,23	1,18	1.01-1.37
Utero, collo	11	3,99	3,55	1,17	0.58-2.1	0	0	0	-		10	18,45	16,68	1,44	0.69-2.65
Utero, corpo	38	13,79	10,63	1,06	0.75-1.46	1	0,36	0,22	0,31	0-1.71	35	64,56	49,34	1,26	0.88-1.75
Utero NAS	3	1,09	0,68	1,88	0.39-5.5	18	6,53	5,42	1,85	1.1-2.92	1	1,84	1,08	2,16	0.03-12.02
Ovaio	24	8,71	7,32	1,18	0.76-1.76	12	4,35	3,24	1,36	0.7-2.37	13	23,45	21,42	1,15	0.63-2.01
Altri genitali femminili	8	2,9	2,26	1,22	0.53-2.41	2	0,73	0,63	0,55	0.07-2	3	5,53	4,58	0,68	0.14-1.98
Pene	2	0,73	0,39	0,65	0.08-2.35	0	0	0	-		1	1,84	0,74	0,44	0.01-2.43
Prostata	157	56,97	38,36	1,21	1.02-1.41	35	12,7	7,26	0,99	0.69-1.38	138	253,88	166,57	1,28	1.08-1.52
Testicolo	13	4,72	5,2	1,51	0.81-2.59	0	0	0	-		12	22,97	25,76	1,55	0.77-2.61
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	36	13,06	10,36	1,27	0.89-1.76	9	3,27	1,88	1,4	0.64-2.66	28	51,65	42,74	1,37	0.91-1.98
Vescica (maligni)	81	29,39	20,02	1,11	0.88-1.38	30	10,89	6,56	0,83	0.56-1.19	53	97,26	67,98	1,09	0.82-1.44
(b) Vescica (non maligni)	63	22,86	16,21	0,98	0.75-1.26	1	0,36	0,22	1,96	0.03-10.93	55	101,46	71,41	1	0.75-1.3
Altre vie urinarie	7	2,54	1,71	1,04	0.42-2.14	1	0,36	0,16	0,17	0-0.96	5	9,22	5,23	1,15	0.37-2.69
Occhio	4	1,45	1,42	2,02	0.54-5.16	0	0	0	-		4	7,38	7,42	2,36	0.64-6.05
Encefalo e altro SNC (maligni)	31	11,25	8,56	1,3	0.88-1.85	28	10,16	6,86	1,39	0.93-2.02	9	16,6	16,87	1,21	0.55-2.3
(c) Encefalo e altro SNC (non maligni)	27	9,8	8,27	0,88	0.58-1.28	5	1,81	1,34	1,52	0.49-3.55	23	42,43	36,31	0,85	0.54-1.28
Tiroide	38	13,79	12,27	0,94	0.66-1.29	2	0,73	0,45	0,73	0.09-2.63	37	68,25	61,91	1,01	0.71-1.4
Altre ghiandole endocrine	6	2,18	2,59	1,3	0.48-2.84	1	0,36	0,36	1,05	0.01-5.84	6	11,07	13,61	1,75	0.64-3.81
Linfoma di Hodgkin	7	2,54	2,8	0,73	0.29-1.51	0	0	0	-		6	11,07	12,54	0,74	0.27-1.62
Linfoma non Hodgkin	60	21,77	17,85	1,11	0.85-1.43	21	7,62	5,81	1,05	0.65-1.61	40	72,97	63,41	1,11	0.8-1.53
Mieloma	16	5,81	3,57	0,8	0.46-1.3	12	4,35	2,54	1,05	0.54-1.83	10	18,45	11,19	0,93	0.44-1.71
Leucemia linfatica acuta	2	0,73	0,69	0,49	0.06-1.77	0	0	0	-		1	1,84	2,53	0,39	0.01-2.19
Leucemia linfatica cronica	3	1,09	0,93	0,51	0.1-1.48	0	0	0	-		3	4,91	4,16	0,65	0.15-2.14
Leucemia mieloide acuta	10	3,63	2,22	0,98	0.47-1.8	5	1,81	1,06	1,02	0.33-2.39	5	9,22	5,57	1,55	0.5-3.61
Leucemia mieloide cronica	4	1,45	0,9	1,12	0.3-2.86	3	1,09	0,68	1,47	0.3-4.29	2	3,69	2,4	0,75	0.09-2.71
Altre MMPC e SMD	30	10,89	7,9	1,26	0.85-1.8	1	0,36	0,21	0,28	0-1.56	19	35,05	26,33	1,15	0.69-1.8
Leucemie NAS	5	1,81	1,12	0,99	0.32-2.32	10	3,63	2,27	0,99	0.48-1.83	1	1,84	1,89	0,63	0.01-3.52
Miscellanea	1	0,36	0,48	1,74	0.02-9.7	1	0,36	0,25	8,9	0.12-49.52	1	1,84	2,53	3,54	0.05-19.72
Mal definite e metastasi	36	13,06	8,6	1,15	0.8-1.59	43	15,6	10,32	1,1	0.8-1.49	9	16,6	11,19	1,37	0.62-2.6
Totale	1908	692,36	502,68	1,09	1.04-1.14	729	264,53	173,67	1	0.93-1.08	1292	2383,69	1765,64	1,15	1.09-1.22
Totale escluso (a)	1629	591,12	433,1	1,07	1.02-1.13	724	262,72	172,68	1	0.93-1.08	1044	1925,66	1456,86	1,14	1.07-1.21
Totale escluso (a)(b)(c)	1539	558,46	408,63	1,08	1.03-1.14	718	260,54	171,11	1	0.92-1.07	966	1781,77	1349,14	1,16	1.09-1.24