

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	0	-	-	-		1	0,77	0,49	7,15	0.09-39.76	0	0	0	-	
Lingua	4	3,06	2,84	1,83	0.49-4.68	1	0,77	0,74	1,06	0.01-5.89	4	15,51	13,79	2,97	0.8-7.6
Bocca	1	0,77	0,61	0,39	0.01-2.17	0	0	0	-		1	3,88	3,17	0,73	0.01-4.07
Ghiandole salivari	0	-	-	-		1	0,77	0,63	2,05	0.03-11.41	0	0	0	-	
Orofaringe	2	1,53	1,4	1,74	0.21-6.29	0	0	0	-		2	7,76	6,87	5,28	0.64-19.05
Rinofaringe	1	0,77	0,61	0,58	0.01-3.25	0	0	0	-		1	3,88	3,17	0,98	0.01-5.46
Ipopofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Faringe NAS	1	0,77	0,74	4,99	0.07-27.76	0	0	0	-		1	3,88	3,78	22,91	0.3-127.44
Esofago	4	3,06	2,76	1,36	0.36-3.47	3	2,3	2,15	1,02	0.21-2.99	1	3,88	2,82	1,58	0.02-8.78
Stomaco	36	27,55	23,68	1,3	0.91-1.81	22	16,83	14,2	1,2	0.75-1.82	15	58,18	49,04	1,36	0.76-2.24
Intestino tenue	0	-	-	-		0	0	0	-		0	0	0	-	
Colon	59	45,14	38,61	1,08	0.82-1.39	28	21,42	16,82	1,18	0.78-1.7	33	128	105,07	0,95	0.65-1.34
Retto	24	18,36	15,22	0,9	0.58-1.34	5	3,83	3,19	0,97	0.31-2.26	14	54,3	43,82	0,81	0.44-1.35
Fegato	46	35,2	30,82	0,84	0.62-1.12	38	29,08	24,59	0,88	0.63-1.21	15	58,18	51,35	0,76	0.43-1.26
Vie biliari	6	4,59	3,94	0,8	0.29-1.74	9	6,89	5,68	1,95	0.89-3.71	1	3,88	3,78	0,71	0.01-3.94
Pancreas	13	9,95	8,55	0,85	0.45-1.46	11	8,42	7,71	0,79	0.4-1.42	3	11,64	9,82	1,18	0.24-3.46
Cavità nasale	0	-	-	-		0	0	0	-		0	0	0	-	
Laringe	19	14,54	12,74	1,18	0.71-1.84	5	3,83	3,09	0,69	0.22-1.6	15	57,42	47,24	1,27	0.72-2.11
Polmone	130	99,47	83,34	1,03	0.86-1.22	117	89,52	74,45	1,05	0.87-1.26	36	137,76	114,08	1,18	0.84-1.66
Altri organi toracici	4	3,06	3,15	1,44	0.39-3.69	7	5,36	4,73	1,78	0.71-3.66	1	3,88	2,97	0,87	0.01-4.82
Osso	3	2,3	2,23	1,49	0.31-4.36	1	0,77	0,61	0,61	0.01-3.42	1	3,88	3,9	0,66	0.01-3.68
Pelle, melanomi	13	9,95	9,36	0,9	0.48-1.54	2	1,53	1,36	0,65	0.08-2.35	13	50,42	46,48	1,09	0.58-1.87
(a) Pelle, non melanomi	156	119,36	104,64	1,34	1.14-1.57	0	0	0	-		141	547,38	454,53	1,36	1.14-1.6
Mesotelioma	6	4,59	3,95	1,05	0.38-2.29	0	0	0	-		3	11,64	10,54	2,1	0.43-6.13
Sarcoma di Kaposi	8	6,12	5,28	2,7	1.16-5.32	0	0	0	-		7	27,15	21,85	3,05	1.22-6.28
Tessuti molli	2	1,53	1,38	0,54	0.07-1.96	0	0	0	-		2	7,76	7,21	0,88	0.11-3.18
Mammella	2	1,53	1,52	1,39	0.17-5.03	1	0,77	0,78	1,58	0.02-8.82	2	7,76	7,68	1,63	0.2-5.88
Pene	3	2,3	2,19	1,17	0.24-3.42	2	1,53	1,34	4,44	0.54-16.04	2	7,76	7,59	1,05	0.13-3.78
Prostata	95	72,69	60,75	0,87	0.7-1.06	29	22,19	19,51	0,99	0.66-1.42	81	314,66	248,77	0,9	0.71-1.12
Testicolo	10	7,65	7,68	1,14	0.54-2.09	0	0	0	-		10	38,79	39,11	1,2	0.58-2.21
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	29	22,19	19,7	1,98	1.32-2.84	9	6,89	5,87	2,66	1.21-5.05	19	74,84	62,97	1,8	1.07-2.76
Vescica (maligni)	50	38,26	31,15	0,97	0.72-1.28	25	19,13	17,02	1,02	0.66-1.5	40	155,15	123,48	1,16	0.83-1.59
(b) Vescica (non maligni)	43	32,9	28,47	0,95	0.69-1.29	0	0	0	-		39	151,27	126,8	1,01	0.72-1.38
Altre vie urinarie	6	4,59	3,69	1,3	0.47-2.83	2	1,53	1,35	0,62	0.07-2.24	5	19,39	15,56	1,66	0.54-3.88
Occhio	0	-	-	-		0	0	0	-		0	0	0	-	
Encefalo e altro SNC (maligni)	10	7,65	7,34	0,84	0.4-1.55	13	9,95	9,3	1,32	0.7-2.26	3	11,64	11,26	0,77	0.16-2.25
(c) Encefalo e altro SNC (non maligni)	8	6,12	6,5	0,83	0.36-1.63	3	2,3	1,84	2,9	0.6-8.47	7	27,15	30,05	0,82	0.33-1.7
Tiroide	6	4,59	4,28	0,57	0.21-1.25	0	0	0	-		5	19,39	18,12	0,57	0.18-1.34
Altre ghiandole endocrine	4	3,06	3,21	1,56	0.42-3.98	1	0,77	0,61	2,02	0.03-11.25	3	11,64	13,22	1,56	0.32-4.55
Linfoma di Hodgkin	7	5,36	5,32	1,41	0.57-2.91	3	2,3	2,06	2,55	0.52-7.44	6	23,27	24,03	1,43	0.52-3.1
Linfoma non Hodgkin	27	20,66	17,17	1,01	0.66-1.47	12	9,18	7,26	1,23	0.63-2.15	19	73,69	59,87	1,1	0.66-1.72
Mieloma	11	8,42	6,96	1,17	0.58-2.1	2	1,53	1,4	0,36	0.04-1.31	7	27,15	20,66	1,31	0.52-2.7
Leucemia linfatica acuta	4	3,06	3,21	1,57	0.42-4.03	2	1,53	1,44	1,57	0.19-5.68	2	7,76	8,4	1,25	0.15-4.53
Leucemia linfatica cronica	4	3,06	2,92	1,26	0.34-3.22	2	1,53	1,24	1,11	0.13-4.01	2	7,76	6,8	0,89	0.11-3.23
Leucemia mieloide acuta	4	3,06	2,45	0,87	0.23-2.22	2	1,53	1,25	1	0.12-3.61	1	3,88	3,17	0,68	0.01-3.79
Leucemia mieloide cronica	3	2,3	2,22	1,73	0.36-5.07	2	1,53	1,25	2,14	0.26-7.74	2	7,76	8	1,58	0.19-5.72
Altre MMPC e SMD	9	6,89	5,91	0,8	0.36-1.52	2	1,53	1,22	1,6	0.19-5.78	5	19,39	15,72	0,63	0.2-1.46
Leucemie NAS	2	1,53	1,46	0,84	0.1-3.02	4	3,06	2,76	0,89	0.24-2.28	1	3,88	4,2	1,03	0.01-5.73
Miscellanea	0	-	-	-		0	0	0	-		0	0	0	-	
Mal definite e metastasi	12	9,18	8,09	1,04	0.54-1.82	20	15,3	13,32	1,18	0.72-1.82	3	11,64	10,13	1,12	0.23-3.27
Totale	887	678,69	588,04	1,05	0.98-1.12	387	296,12	251,26	1,05	0.94-1.16	574	2225,84	1870,9	1,1	1.02-1.2
Totale escluso (a)	731	559,33	483,4	1	0.93-1.08	387	296,12	251,26	1,05	0.95-1.16	433	1678,46	1416,37	1,04	0.95-1.15
Totale escluso (a)(b)(c)	680	520,31	448,43	1,01	0.93-1.08	384	293,82	249,42	1,04	0.94-1.15	387	1500,04	1259,52	1,05	0.95-1.16

Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	0	-	-	-		0	0	0	-		0	0	0	-	
Lingua	0	-	-	-		1	0,72	0,69	1,88	0.02-10.46	0	0	0	-	
Bocca	1	0,72	0,54	0,42	0.01-2.33	0	0	0	-		0	0	0	-	
Ghiandole salivari	0	-	-	-		1	0,72	0,76	4,38	0.06-24.36	0	0	0	-	
Orofaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Rinofaringe	2	1,44	1,01	2,96	0.36-10.68	1	0,72	0,29	3,99	0.05-22.19	1	3,64	3,65	1,96	0.03-10.91
Ipopfaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Faringe NAS	0	-	-	-		0	0	0	-		0	0	0	-	
Esofago	1	0,72	0,56	0,58	0.01-3.24	0	0	0	-		1	3,64	2,86	2,87	0.04-15.97
Stomaco	29	20,88	15,51	1,58	1.06-2.27	15	10,8	7,61	1,19	0.66-1.96	12	43,68	33,97	1,71	0.88-2.99
Intestino tenue	3	2,16	1,56	1,47	0.3-4.29	0	0	0	-		2	7,28	6,34	2,07	0.25-7.49
Colon	37	26,64	18,32	0,88	0.62-1.21	27	19,44	12,26	1,44	0.95-2.09	21	75,3	54,8	0,74	0.46-1.14
Retto	22	15,84	11,18	1	0.63-1.52	6	4,32	2,57	1,27	0.46-2.76	12	43,68	31,33	0,77	0.4-1.34
Fegato	23	16,56	10,91	0,79	0.5-1.18	18	12,96	8,05	0,77	0.45-1.21	10	35,91	22,34	0,98	0.48-1.83
Vie biliari	13	9,36	6,48	1,34	0.71-2.3	5	3,6	2,4	0,69	0.22-1.61	4	14,56	11,5	2,57	0.69-6.59
Pancreas	9	6,48	5,09	0,58	0.26-1.1	9	6,48	5,19	0,67	0.31-1.27	1	3,64	2,61	0,45	0.01-2.49
Cavità nasale	1	0,72	0,87	1,42	0.02-7.88	0	0	0	-		1	3,64	4,52	1,84	0.02-10.23
Laringe	0	-	-	-		0	0	0	-		0	0	0	-	
Polmone	29	20,88	17,23	0,95	0.64-1.36	17	12,24	9,98	0,68	0.4-1.09	9	32,76	25,71	0,94	0.43-1.78
Altri organi toracici	2	1,44	1,13	1,31	0.16-4.72	1	0,72	0,56	1,1	0.01-6.12	1	3,64	2,86	1,1	0.01-6.12
Osso	1	0,72	0,7	0,78	0.01-4.32	0	0	0	-		1	3,64	3,61	1,27	0.02-7.05
Pelle, melanomi	14	10,08	9,51	0,91	0.5-1.53	6	4,32	3,54	2,38	0.87-5.17	11	38,26	35,35	0,77	0.4-1.44
(a) Pelle, non melanomi	84	60,48	46,48	1,03	0.82-1.27	2	1,44	1,43	1,89	0.23-6.83	74	269,37	205,75	1	0.78-1.25
Mesotelioma	2	1,44	0,86	1,72	0.21-6.22	0	0	0	-		2	7,28	4,25	4,43	0.54-1.6
Sarcoma di Kaposi	2	1,44	1,11	1,4	0.17-5.06	0	0	0	-		2	7,28	5,71	1,68	0.2-6.05
Tessuti molli	1	0,72	0,69	0,39	0.01-2.16	0	0	0	-		1	3,64	3,53	0,63	0.01-3.49
Mammella	148	106,57	91,14	0,96	0.81-1.13	33	23,76	18,47	0,8	0.55-1.12	135	490,28	414,62	0,99	0.83-1.18
Utero, collo	11	7,92	7,21	1,29	0.64-2.31	1	0,72	0,29	1,12	0.01-6.24	9	32,76	29,86	1,39	0.64-2.65
Utero, corpo	33	23,76	19,41	1,04	0.72-1.47	2	1,44	1,14	0,76	0.09-2.73	24	87,36	73,24	0,95	0.61-1.41
Utero NAS	2	1,44	1,13	1,42	0.17-5.13	10	7,2	5,23	1,16	0.55-2.13	0	0	0	-	
Ovaio	16	11,52	9,76	0,88	0.5-1.42	10	7,2	5,61	1,32	0.63-2.42	12	43,68	37,45	1,18	0.61-2.06
Altri genitali femminili	7	5,04	3,53	1,26	0.5-2.6	4	2,88	1,81	1,39	0.37-3.57	0	0	0	-	
Rene	8	5,76	5,12	0,82	0.35-1.62	2	1,44	0,85	1,05	0.13-3.8	7	25,48	23,71	0,96	0.38-1.97
Vescica (maligni)	8	5,76	3,56	0,79	0.34-1.56	4	2,88	2,1	0,78	0.21-2	6	21,84	12,97	0,96	0.35-2.08
(b) Vescica (non maligni)	13	9,36	7,36	1,31	0.7-2.25	0	0	0	-		12	43,68	34,19	1,35	0.7-2.37
Altre vie urinarie	2	1,44	1,13	1,92	0.23-6.94	0	0	0	-		2	7,28	5,72	3,18	0.38-11.48
Occhio	2	1,44	1,42	1,7	0.21-6.13	0	0	0	-		2	7,28	7,26	2,05	0.25-7.38
Encefalo e altro SNC (maligni)	8	5,76	4,37	0,8	0.35-1.58	6	4,32	3,23	0,75	0.27-1.64	1	3,64	2,61	0,29	0-1.6
(c) Encefalo e altro SNC (non maligni)	21	15,12	13,08	1,14	0.71-1.75	2	1,44	1,11	1,16	0.14-4.19	21	76,44	65,25	1,3	0.8-1.99
Tiroide	20	14,4	13,4	0,7	0.43-1.08	3	2,16	1,57	2,94	0.61-8.59	17	61,88	59,31	0,62	0.36-1
Altre ghiandole endocrine	6	4,32	5,08	3,87	1.41-8.43	0	0	0	-		6	21,84	26,6	4,74	1.73-10.32
Linfoma di Hodgkin	4	2,88	3,08	0,89	0.24-2.28	0	0	0	-		4	13,41	14,55	0,92	0.27-2.55
Linfoma non Hodgkin	26	18,72	14,67	1,26	0.82-1.85	7	5,04	3,38	0,98	0.39-2.02	22	80,08	65,53	1,56	0.98-2.36
Mieloma	8	5,76	4,56	1,1	0.47-2.17	4	2,88	2,25	0,95	0.26-2.43	5	17,05	13,3	1,22	0.42-3.04
Leucemia linfatica acuta	3	2,16	2,17	2,07	0.43-6.06	3	2,16	2,17	5,76	1.19-16.84	0	0	0	-	
Leucemia linfatica cronica	2	1,44	0,99	1,19	0.14-4.31	0	0	0	-		2	7,28	5,05	1,65	0.2-5.94
Leucemia mieloide acuta	2	1,44	1,26	0,43	0.05-1.57	0	0	0	-		1	3,64	3,53	0,54	0.01-3.01
Leucemia mieloide cronica	1	0,72	0,75	0,69	0.01-3.85	0	0	0	-		1	3,64	3,95	0,87	0.01-4.82
Altre MMPC e SMD	13	9,36	7,88	1,38	0.73-2.36	1	0,72	0,43	0,61	0.01-3.4	11	40,04	35,19	1,71	0.85-3.07
Leucemie NAS	0	-	-	-		4	2,88	2,29	0,99	0.27-2.53	0	0	0	-	
Miscellanea	1	0,72	0,69	7,27	0.1-40.45	0	0	0	-		1	3,64	3,53	10,55	0.14-58.69
Mal definite e metastasi	11	7,92	5,74	0,72	0.36-1.29	19	13,68	8,99	1,21	0.73-1.89	4	14,56	11,66	1,27	0.34-3.24
Totale	652	469,47	378,22	0,98	0.91-1.06	224	161,29	116,25	0,93	0.81-1.06	469	1707,67	1409,76	1	0.92-1.1
Totale escluso (a)	568	408,99	331,73	0,97	0.9-1.06	222	159,85	114,81	0,92	0.8-1.05	395	1438,3	1204,01	1,01	0.91-1.11
Totale escluso (a)(b)(c)	534	384,5	311,29	0,96	0.88-1.05	220	158,41	113,71	0,92	0.8-1.05	362	1318,17	1104,57	0,98	0.89-1.09



Sede	INCIDENZA					MORTALITÀ					PREVALENZA*				
	Casi	TG	TSD	SIR	IC95%	Casi	TG	TSD	SMR	IC95%	Casi	TG	TSD	SPR	IC95%
Labbro	0	-	-	-		1	0,37	0,18	5,34	0.07-29.73	0	0	0	-	
Lingua	4	1,48	1,35	1,18	0.32-3.01	2	0,74	0,71	1,35	0.16-4.87	4	7,51	6,56	1,94	0.52-4.97
Bocca	2	0,74	0,58	0,4	0.05-1.45	0	0	0	-		1	1,88	1,5	0,36	0-2.01
Ghiandole salivari	0	-	-	-		2	0,74	0,68	2,78	0.34-10.05	0	0	0	-	
Orofaringe	2	0,74	0,66	1,43	0.17-5.18	0	0	0	-		2	3,76	3,26	3,66	0.44-13.22
Rinofaringe	3	1,11	0,84	1,26	0.26-3.67	1	0,37	0,18	1,17	0.02-6.54	2	3,76	3,37	1,31	0.16-4.73
Ipfaringe	0	-	-	-		0	0	0	-		0	0	0	-	
Faringe NAS	1	0,37	0,36	2,89	0.04-16.09	0	0	0	-		1	1,88	1,82	5,51	0.07-30.67
Esofago	5	1,85	1,47	1,07	0.34-2.5	3	1,11	0,88	0,67	0.14-1.97	2	3,76	2,85	2,02	0.24-7.28
Stomaco	65	24,11	19,28	1,41	1.09-1.8	37	13,73	10,68	1,19	0.84-1.65	27	50,7	41,2	1,49	0.98-2.17
Intestino tenue	3	1,11	0,85	0,79	0.16-2.3	0	0	0	-		2	3,76	3,28	0,99	0.12-3.56
Colon	96	35,61	27,32	0,99	0.8-1.21	55	20,4	14,44	1,29	0.97-1.68	54	100,81	77,41	0,86	0.65-1.12
Retto	46	17,06	12,7	0,95	0.69-1.26	11	4,08	2,88	1,11	0.56-1.99	26	48,82	36,44	0,79	0.51-1.15
Fegato	69	25,6	20,36	0,82	0.64-1.04	56	20,77	15,21	0,84	0.64-1.1	25	46,69	36,95	0,83	0.54-1.24
Vie biliari	19	7,05	5,4	1,11	0.67-1.73	14	5,19	3,81	1,18	0.65-1.98	5	9,39	7,84	1,69	0.54-3.94
Pancreas	22	8,16	6,75	0,71	0.45-1.08	20	7,42	6,48	0,73	0.45-1.13	4	7,51	5,88	0,84	0.23-2.14
Cavità nasale	1	0,37	0,42	0,55	0.01-3.08	0	0	0	-		1	1,88	2,19	0,87	0.01-4.86
Laringe	19	7,05	5,72	1,03	0.62-1.61	5	1,85	1,4	0,63	0.2-1.46	15	27,8	21,63	1,09	0.62-1.83
Polmone	159	58,98	46,8	1,01	0.86-1.18	134	49,71	38,38	0,99	0.83-1.17	45	83,59	66,54	1,12	0.83-1.52
Altri organi toracici	6	2,23	2,08	1,4	0.51-3.04	8	2,97	2,47	1,65	0.71-3.25	2	3,76	2,89	0,97	0.12-3.49
Osso	4	1,48	1,44	1,21	0.33-3.1	1	0,37	0,29	0,33	0-1.84	2	3,76	3,75	0,87	0.1-3.13
Pelle, melanomi	27	10,02	9,22	0,9	0.6-1.32	8	2,97	2,49	1,43	0.62-2.82	24	44,15	39,83	0,92	0.6-1.39
(a) Pelle, non melanomi	240	89,03	71,63	1,21	1.06-1.37	2	0,74	0,75	0,86	0.1-3.11	215	403,97	314,98	1,21	1.05-1.38
Mesotelioma	8	2,97	2,31	1,16	0.5-2.29	0	0	0	-		5	9,39	7,41	2,65	0.85-6.19
Sarcoma di Kaposi	10	3,71	3,04	2,28	1.09-4.2	0	0	0	-		9	16,9	13,1	2,58	1.18-4.9
Tessuti molli	3	1,11	0,99	0,48	0.1-1.4	0	0	0	-		3	5,63	5,12	0,78	0.16-2.27
Mammella	150	55,64	48,95	0,97	0.82-1.14	34	12,61	10,63	0,81	0.56-1.13	137	256,67	222,03	1	0.84-1.19
Utero, collo	11	4,08	3,75	1,29	0.64-2.31	1	0,37	0,18	1,12	0.01-6.23	9	16,9	15,6	1,4	0.64-2.65
Utero, corpo	33	12,24	10,38	1,05	0.72-1.47	2	0,74	0,59	0,76	0.09-2.74	24	45,07	38,65	0,95	0.61-1.42
Utero NAS	2	0,74	0,66	1,41	0.17-5.1	10	3,71	3,04	1,16	0.55-2.13	0	0	0	-	
Ovaio	16	5,94	5,17	0,88	0.5-1.43	10	3,71	2,98	1,32	0.63-2.42	12	22,53	19,63	1,19	0.61-2.07
Altri genitali femminili	7	2,6	1,99	1,26	0.51-2.6	4	1,48	1,12	1,39	0.37-3.57	0	0	0	-	
Pene	3	1,11	0,84	1,17	0.24-3.41	2	0,74	0,59	4,51	0.55-16.3	2	3,76	3,08	1,04	0.13-3.76
Prostata	95	35,24	27,08	0,87	0.7-1.06	29	10,76	7,36	1	0.67-1.44	81	152,34	112,32	0,9	0.71-1.11
Testicolo	10	3,71	3,76	1,13	0.54-2.08	0	0	0	-		10	18,78	19,31	1,2	0.57-2.2
Altri genitali maschili	0	-	-	-		0	0	0	-		0	0	0	-	
Rene	37	13,73	11,75	1,52	1.07-2.09	11	4,08	3,09	2,09	1.04-3.74	26	49,38	41,69	1,46	0.94-2.11
Vescica (maligni)	58	21,52	16,11	0,94	0.72-1.22	29	10,76	7,94	0,98	0.65-1.4	46	86,38	63,13	1,13	0.83-1.51
(b) Vescica (non maligni)	56	20,77	16,92	1,02	0.77-1.32	0	0	0	-		51	95,77	77,03	1,07	0.8-1.41
Altre vie urinarie	8	2,97	2,3	1,41	0.61-2.78	2	0,74	0,61	0,42	0.05-1.51	7	13,14	10,19	1,92	0.77-3.96
Occhio	2	0,74	0,73	1,07	0.13-3.87	0	0	0	-		2	3,76	3,71	1,23	0.15-4.44
Encefalo e altro SNC (maligni)	18	6,68	6,01	0,82	0.49-1.3	19	7,05	6,29	1,07	0.64-1.67	4	7,51	6,94	0,54	0.15-1.39
(c) Encefalo e altro SNC (non maligni)	29	10,76	10,07	1,04	0.69-1.49	5	1,85	1,48	1,81	0.58-4.21	28	52,58	48,96	1,14	0.76-1.64
Tiroide	26	9,64	9,04	0,67	0.44-0.98	3	1,11	0,85	1,34	0.28-3.92	22	41,31	39,33	0,61	0.38-0.93
Altre ghiandole endocrine	10	3,71	4,13	2,43	1.16-4.46	1	0,37	0,29	1,21	0.02-6.73	9	16,9	19,96	2,82	1.29-5.35
Linfoma di Hodgkin	11	4,08	4,12	1,16	0.58-2.08	3	1,11	0,95	1,43	0.29-4.17	10	18,19	19,34	1,18	0.58-2.23
Linfoma non Hodgkin	53	19,66	15,8	1,12	0.84-1.46	19	7,05	5,04	1,12	0.68-1.75	41	76,99	62,64	1,31	0.94-1.77
Mieloma	19	7,05	5,67	1,14	0.69-1.78	6	2,23	1,86	0,62	0.22-1.34	12	21,94	16,38	1,27	0.67-2.28
Leucemia linfatica acuta	7	2,6	2,76	1,76	0.7-3.62	5	1,85	1,78	2,76	0.89-6.45	2	3,76	4,34	0,74	0.09-2.66
Leucemia linfatica cronica	6	2,23	1,78	1,23	0.45-2.69	2	0,74	0,59	0,6	0.07-2.16	4	7,51	6,06	1,16	0.31-2.97
Leucemia mieloide acuta	6	2,23	1,78	0,65	0.24-1.42	2	0,74	0,59	0,46	0.06-1.67	2	3,76	3,33	0,6	0.07-2.18
Leucemia mieloide cronica	4	1,48	1,45	1,26	0.34-3.22	2	0,74	0,59	1,15	0.14-4.14	3	5,63	5,83	1,24	0.26-3.63
Altre MMPC e SMD	22	8,16	6,92	1,06	0.67-1.61	3	1,11	0,75	1,04	0.21-3.05	16	30,05	25,84	1,11	0.63-1.8
Leucemie NAS	2	0,74	0,69	0,46	0.06-1.65	8	2,97	2,39	0,94	0.4-1.84	1	1,88	1,97	0,72	0.01-4.02
Miscellanea	1	0,37	0,36	1,88	0.02-10.45	0	0	0	-		1	1,88	1,82	3,51	0.05-19.53
Mal definite e metastasi	23	8,53	6,72	0,86	0.54-1.29	39	14,47	10,9	1,2	0.85-1.64	7	13,14	11,15	1,2	0.48-2.47
Totale	1539	570,91	469,24	1,02	0.97-1.07	611	226,66	174,38	1	0.92-1.08	1043	1958,54	1606,05	1,06	0.99-1.12
Totale escluso (a)	1299	481,88	397,62	0,99	0.94-1.04	609	225,91	173,63	1	0.92-1.08	828	1554,57	1291,07	1,02	0.96-1.1
Totale escluso (a)(b)(c)	1214	450,34	370,63	0,99	0.93-1.04	604	224,06	172,16	1	0.92-1.08	749	1406,22	1165,09	1,02	0.95-1.09